Regd. No. 25-14367, CIN-UI5424PN2000PLC014367 An ISO 9001:2015 & ISO 22000:2018 Certified Company

SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, **Takaliwadi.** Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 108
PHONE. : +91 231 2686086 | WEBSITE : www.sgslt.com | Email : sgslt@sgslt.com

SGSL/ENVI/ 384 /2026-27

Date – October 17, 2026

To,
The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Regional office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur.
Tel No. 0712 – 2531318
Email: moefregionalofficenagpur@gmail.com

Sub: Six Monthly (April 2026 to September 2026) Compliance Report of Environmental Clearance (SUGAR 4900 TCD to 6000 TCD...) issued by MoEF & CC, New Delhi.

Ref: You're Letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six Monthly (From April 2026 to September 2026) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 20.03.2017.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

C.C to: 1. The Regional officer, MPC Board, Kolhapur.
2. The Sub - Regional officer, MPC Board, Kolhapur.

Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur, Maharashtra		
Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 4900 TCD to 6000 TCD) & Co-generation Power Plant (From 15 MW to 21 MW) by MoEF & CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 20.03.2017		
EC No -	**J - 11011/41/2015-IA-II (I) Date - 20.03.2017**	October 2026
SR. NO.	**EC Condition**	**Compliances**
	A) Specific Condition	
1	Zero liquid Discharge System shall be ensured	We have full-fledged disposal method carried out in a scientific manner on land for irrigation in available 55 Acres for crop irrigation.
2	Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. **Annexure 1**
3	Fly ash be generated shall be sent to nearby cement industry.	The measurity of fly ash is utilize of our press mud composting yard the remaining of the small quantity is we have sold ash to brick manufactures and farmers.
4	Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc. to be developed around the plant periphery ensuring the 33% area of the plant as green area. The forest department may be consulted in this regard.	We have already planted 16500 Nos of tree as site.
5	Air emission from all point source to be controlled by latest technology instrument. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB)	We have already installed air pollution control equipment as per consent stipulation. The efficiency further increase bagasse drying mechanism was installed.
6	Periodic soil and water sampling in nearby villages and water bodies to be done by the project authorities through 3rd part expert	The soil and water sampling in nearby villages carried out periodically. The report are enclosed as **Annexure 2**

	and report shall be submitted to the concerned Regional office of the Ministry.	
7	RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the project authorities.	The RO plant installed for drinking water purpose and benefits all nearby villages.
8	Health checkup camps to be organized periodically in nearby villages.	The health checkup camps carried out periodically.
9	A regular environmental manager having PG qualification in environmental sciences / environmental engineering to be appointed for looking after the environmental management practices in the plant.	We have already recruit Environmental Engineer having PG Qualification with full-fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists.
10	Automatic/ online monitoring system (24*7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	We have already installed and completed the connectivity to CPCB / MPCB server of online monitoring system of ETP outlet water parameter (Flow, PH, TSS, COD & BOD) & Boiler stack (SPM /TPM) . The continuous monitoring results of ETP outlet water parameter & boiler stack emission depict that we are achieving norms stipulated by MPCB on a continuous time basis. And also online monitoring data is uploaded in company website. The photo of instrument is attached as **Annexure 3.**
B) General Conditions:		
1	The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.	PA agreed to comply with
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alteration in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environment protection measures required, if any.	PA agreed to comply with

3	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as **Annexure 4.**
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as **Annexure 4.**
6	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground and use the same water for the process activities of the project to conserve fresh water.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. Have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as **Annexure 5.**
8	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	E.S.P, Wet scrubber & bagasse Dryer with a stack of height 65 m has been provided. Effluent treatment plant has been provided. Treated effluent is used in the seed farms of the industry also supplied to the agriculture fields of farmers of nearby villages upon prior request from farmers. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.

9	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Compiled.
10	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied. As per the details provided, PA distributed 500 nos trees to farmers of nearby villagers under eco-development measures.
11	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied. Environmental management cell has been established.
12	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied. As per the details provided, PA earmarked an amount of 13.5 cores towards capital expenditure and Rs. 3.31 cores towards recurring expenditure for environmental protection measures.
13	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.	Copy of the environmental clearance submitted to Zillah Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 27.03.2017, The copy is enclosed as **Annexure 6**.
14	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied. However same has been uploaded to the company website.
15	The environmental statement for each financial year ending 31th March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance	Complied. Environment statement for the FY 2025-26 submitted to MPCB vide letter dated 07.04.2026, however the same was uploaded to the company website.

	conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail.	
16	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall ne in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement regarding to grant of EC was made on 31.03.2017. The copy is enclosed as **Annexure.**
17	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PA agreed to comply with.
18	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PA agreed to comply with.
19	The Ministry reserve the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	PA agreed to comply with.
20	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Transe-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	PA agreed to comply with.

Shri Gurudatt Sugars Ltd., Takaliwadi

ANNEXURE - 1

1) The increase in capacity of Sugarcane crushing from 4900 TCD to 6000 TCD is not an expansion in true sense and this is TO CATER FOR REQUIREMENT TO INCREASE CRUSHING BY 10-15% DUE TO CANE HARVESTING REQUIRED TO BE CARRIED OUT AS PER MATURITY, as otherwise there is sugar loss.

   A) Modernizatio**n, without increasing either resource consumption or pollutional load** is a constant endeavor and as a result, with Technological Advances carried out, we are able to ensure **'NO POLLUTIONAL LOAD INCREASE'** in terms of volume or concentration of effluents, both water and air due to the abovementioned measures. This is clearly depicted in Annexure I and II attached herewith. THAT THERE IS NO CHANGE IN ANY MACHINERY CAPACITY AND THE CAPACITY INCREASE IS ACHIEVED THROUGH THE TECHNOLOGY CHANGES MENTIONED ABOVE.

   B) DUE TO MEASURES TAKEN FOR CONSERVATION OF RESOURCES, NO INCREASE IN WATER OR FUEL CONSUMPTION IS WARRENTED, THEREBY ACHIEVING ZERO DISCHARGE TECHNICALLY FOR THE EXPANSION MODE.

   The salient points of our efforts in above direction are:

      i) Ours is the **first Sugar factory in Maharashtra**, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and **no fresh water is utilized**, for sugar factory operation. As given in Annexure I, the same condition prevails for additional capacity as well, wherein, we are not required to consume any raw water, and therefore, there is no effluent generation from the same.

      ii) We also have installed Bagasse drying mechanism, with waste heat from flue gas, thus minimizing consumption of Bagasse for combustion, thereby effectively reducing the emissions at source itself. We have also taken various measures as given in Annexure II, which depict the sembalance of fuel consumption and therefore there is no air emission increase in this respect.

2) We have provided a full fledged Effluent Treatment Plant and operating the same with due vigil. Analysis of the treatment efficiency is a routine and corrective measures are taken immediately.

3) We have taken care that no untreated/ treated effluent from factory enters any water course and all the treated effluent is utilized on our own Land for Cane seed Plantation Irrigation, employing scientific practices.

4) We have a full fledged division of Environmental Management, wherein, all our Environmental management Plants are monitored on daily basis, along with requisite analysis carried out in our laboratory by trained chemists. We also have installed 'Online Monitoring Systems for Water and Air Pollution Control System monitoring, as per stipulations in this regard.

   The above measures have resulted in waste generation minimization, and it implies that there is 'zero increase in pollutional load', due to the measures taken above.

ANNEXURE I

WATER BUDGET FOR EXISTING AND PROPOSED CAPACITY AFTER MODERNISATION AT SHRI GURUDATT SUGARS LTD

EXISTING 4900 TCD,15 MW					**ADDITIONAL 1100 TCD,6 MW**				
PURPOSE	**INPUT**	**Purpose**	**LOSSES**	**EFFLUENT**	**PURPOSE**	**INPUT**	**Purpose**	**LOSSES**	**EFFLUENT**
	Cum/d		**Cum/d**	**Cum/d**		**Cum/d**		**Cum/d**	**Cum/d**
Water in Cane	3430	Bagasse	686		Water in Cane	770	Bagasse	154	
Imbibition	1470	Mollasses	98		Imbibition	330	Mollasses	22	
Washings	470	Press mud	98	470	Washings **(No New Machine)**	**0**	Pressmud	22	**0**
		(Evaporation & Cooling Loss)	500				Evaporation & Cooling Loss)	100	
Total	5370		1382	470	Total	1100		298	
Condensate	3518	Imbibition	1470		Condensate	798	Imbibition	330	
		Other use	686				Other use	154	
		Washing	470				Washing	0	
Total Internal Use			2626		Total Internal Use			484	

Excess Condensate			**892**		Excess Condensate			314	
Treated Condensate		Utilization	Cum/d						
		Co-Gen Make-up	450				Co-Gen Make-up	**0 (As Back Pressure Turbine added does not require cooling Tower)**	
		Cooling Circuit Make up	120				Cooling Circuit Make up	24	
		Excess to Other Applications	322				Excess to Other Applications	296	

ANNEXURE II-EFFICIENCY INCREASE IN CO-GENERATION DUE TO IMPROVED TECHNOLOGY

PARAMETER	EARLIER CONDITION	IMPROVEMENT	IMPACT ON % EFFICIENCY INCREASE
BOILER TPH	**70+40**	**70+40**	Nil , Since No Change
Max.Working Steam Consumption	**85**	**104**	
Bagasse Consumption	**36.95**	**36.49**	Nil , Since No Change
I) STEAM TEMPERATURE INCREASE DUE TO SUPERHEATER MODIFICATION			
A)Steam temperature (^{0}c)	420	500	Positive, as Power Generation Shall Improve For The Same Steam Quantity
B) Enthalpy	777.15	821.79	**5.7%**
II) BAGASSE MOISTURE REDUCTION DUE TO IMPROVED MILL SETTING			
A) Bagasse Moisture	50	47	
B) Enthalpy	2273.84	2411.84	**6.1%**
III) BAGASSE DRYING MECHANISM BASED ON FLUE GAS			
A) Bagasse Moisture	47	40	
B) Enthalpy	2411.84	2691.80	**11.6%**
	TOTAL INCREASE IN EFFICIENCY		**23.4%**

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HALPL/LAB/WA/04716
	REPORT DATE	06/01/2026
	LAB REFERENCE NO.	HALPL/LAB/WA/1889
	SAMPLING DATE	30/12/2025
	SAMPLE RECEIPT DATE	31/12/2025
	START DATE OF ANALYSIS	31/12/2025
	END DATE OF ANALYSIS	06/01/2026

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
01	pH	---	4.68	APHA 24th Ed 2023, 4500-H^+B
02	Total Suspended Solids	mg/L	428.00	APHA 24th Ed 2023, 2540 D
03	Total Dissolved Solids	mg/L	2498.00	APHA 24th Ed 2023, 2540 C
04	Chemical Oxygen Demand	mg/L	3854.00	APHA 24th Ed 2023, 5220 C
05	Biochemical Oxygen Demand (27°C for 3 days)	mg/L	2028.40	IS–3025 (Part 44)
06	Chlorides as Cl^-	mg/L	480.00	APHA 24th Ed 2023, 4500 Cl^-B
07	Sulphates as SO_4--	mg/L	760.00	APHA 24th Ed 2023, 4500 SO_4 E
08	Oil & Grease	mg/L	28.00	APHA 24th Ed 2023, 5520 B



For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Report ****

Lab Approved by MoEF, New Delhi

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HALPL/LAB/WA/04717
	REPORT DATE	06/01/2026
	LAB REFERENCE NO.	HALPL/LAB/WA/1889
	SAMPLING DATE	30/12/2025
	SAMPLE RECEIPT DATE	31/12/2025
	START DATE OF ANALYSIS	31/12/2025
	END DATE OF ANALYSIS	06/01/2026

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
01	pH	---	7.12	5.5-9.0	APHA 24th Ed 2023, 4500-H^+B
02	Total Suspended Solids	mg/L	55.00	< 100.00	APHA 24th Ed 2023, 2540 D
03	Total Dissolved Solids	mg/L	1984.00	< 2100.00	APHA 24th Ed 2023, 2540 C
04	Chemical Oxygen Demand	mg/L	118.00	< 250.00	APHA 24th Ed 2023, 5220 C
05	Biochemical Oxygen Demand (27°C for 3 days)	mg/L	32.80	< 100.00	IS–3025 (Part 44)
06	Chlorides as Cl^-	mg/L	310.00	< 600.00	APHA 24th Ed 2023, 4500 Cl^-B
07	Sulphates as SO_4--	mg/L	404.00	< 1000.00	APHA 24th Ed 2023, 4500 SO_4 E
08	Oil & Grease	mg/L	< 2.00	< 10.00	APHA 24th Ed 2023, 5520 B

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Report ****

Lab Approved by MoEF, New Delhi

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HALPL/LAB/WA/04718
	REPORT DATE	06/01/2026
	LAB REFERENCE NO.	HALPL/LAB/WA/1889
	SAMPLING DATE	30/12/2025
	SAMPLE RECEIPT DATE	31/12/2025
	START DATE OF ANALYSIS	31/12/2025
	END DATE OF ANALYSIS	06/01/2026

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Sachin Koli- Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS IS 10500	TEST METHOD
01	pH	---	7.04	6.5 – 8.5	APHA 24th Ed 2023, 4500-H^+B
02	Electric Conductivity	µS/cm	420.00	Not Specified	APHA 24th Ed 2023, 2510 B
03	Colour	CU	< 5.00	<5.00	APHA 24th Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	IS 3025 (P-5)
05	Turbidity	NTU	0.50	<1.00	APHA 24th Ed 2023, 2130 B
06	Total Dissolved Solids	mg/L	302.00	<500.00	APHA 24th Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/L	4.00	Not Specified	APHA 24th Ed 2023, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/L	1.10	Not Specified	IS 3025 (Part 44)
09	Chlorides as Cl^-	mg/L	36.00	<250.00	APHA 24th Ed 2023, 4500 Cl-B
10	Sulphates as SO_4--	mg/L	44.00	<200.00	APHA 24th 2023, 4500 SO4 E
11	Total Alkalinity as $CaCO_3$	mg/L	62.00	<200.00	IS 3025 (P-23)
12	Calcium as Ca	mg/L	30.00	<75.00	APHA 24th 2023, 3500 Ca B
13	Magnesium as Mg	mg/L	21.60	<30.00	APHA 24th 2023, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/L	164.00	<200.00	APHA 24th Ed 2023, 2340 C
15	Iron as Fe	mg/L	0.10	<0.30	APHA 24th 2023, 3500 Fe B
16	Fluoride as F^-	mg/L	0.22	<1.00	APHA 24th Ed 2023, 4500-F^- D
17	Sodium as Na	mg/L	6.00	Not Specified	APHA 24th 2023, 3500 Na B

REMARK: The submitted sample confirms the requirement of IS 10500, for above tested parameters only.

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Report ****

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HALPL/LAB/WA/04719
	REPORT DATE	06/01/2026
	LAB REFERENCE NO.	HALPL/LAB/WA/1889
	SAMPLING DATE	30/12/2025
	SAMPLE RECEIPT DATE	31/12/2025
	START DATE OF ANALYSIS	31/12/2025
	END DATE OF ANALYSIS	06/01/2026

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Ramchandra Bedkihale

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
01	pH (10 % Extract)	---	7.10	IS 2720 (P-26)
02	Chlorides as Cl^-	mg/kg	164.00	SOP NO: HALPL/LAB/ NABL/ SOIL/10
03	Total Soluble Sulphate as SO_4	mg/kg	8.50	IS 2720 (P-27)
04	Total Chromium as Cr	mg/kg	4.10	SOP NO: HALPL/LAB/ NABL/ SOIL/20
05	Total Nitrogen as N	%	0.012	IS 14684
06	Available Phosphorus as P	mg/kg	22.40	SOP NO: HALPL/LAB/ NABL/ SOIL/04
07	Total Nickel as Ni	mg/kg	28.00	SOP NO: HALPL/LAB/ NABL/ SOIL/20
08	Total Cadmium as Cd	mg/kg	0.45	SOP NO: HALPL/LAB/ NABL/ SOIL/20
09	Total Copper Cu	mg/kg	38.00	SOP NO: HALPL/LAB/ NABL/ SOIL/20
10	Total Zinc as Zn	mg/kg	32.00	SOP NO: HALPL/LAB/ NABL/ SOIL/20



For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Report ****

Lab Approved by MoEF, New Delhi

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HALPL/REP/25-26/1742/1
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	Date of Sampling	DD/MM/YY	30/12/2025		
02	Test Location		Near Factory Main Gate		
03	Time of Sampling	Hrs	09:05-17:05		
04	Temperature (Max./Min)	Deg C	30/19		
05	Relative Humidity	% RH	46		
06	Sampling Duration	Hrs	8		
07	Respirable Suspended Particulate Matter (PM_{10})	$\mu g/m^3$	88.27	≤100	IS 5182 (Part 23)
08	Fine Particulate Matter ($PM_{2.5}$)	$\mu g/m^3$	49.99	≤60	IS 5182 (Part 24)
09	Sulphur Dioxide as SO_2	$\mu g/m^3$	15.93	≤80	IS 5182 (Part 2): Sec.1
10	Nitrogen Dioxide as NO_2	$\mu g/m^3$	33.34	≤80	IS 5182 (Part 6)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	AFDS/FM-01	SSEC/FF/1451	13/06/2025	12/06/2026
2	RDS-GSES/RDS-01	RDS/UM-01	SSEC/FF/1445	13/06/2025	12/06/2026

NAAQS – National Ambient Air Quality Standards (2009)

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

Lab Approved by MoEF, New Delhi.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HALPL/REP/25-26/1742/2
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	Date of Sampling	DD/MM/YY	30/12/2025		
02	Test Location		Near Weigh Bridge		
03	Time of Sampling	Hrs	09:15-17:15		
04	Temperature (Max./Min)	Deg C	30/19		
05	Relative Humidity	% RH	46		
06	Sampling Duration	Hrs	8		
07	Respirable Suspended Particulate Matter (PM_{10})	µg/m³	87.95	≤100	IS 5182 (Part 23)
08	Fine Particulate Matter ($PM_{2.5}$)	µg/m³	46.24	≤60	IS 5182 (Part 24)
09	Sulphur Dioxide as SO_2	µg/m³	18.38	≤80	IS 5182 (Part 2): Sec.1
10	Nitrogen Dioxide as NO_2	µg/m³	34.93	≤80	IS 5182 (Part 6)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-02	AFDS/FM-02	SSEC/FF/1452	13/06/2025	12/06/2026
2	RDS-GSES/RDS-02	RDS/UM-02	SSEC/FF/1446	13/06/2025	12/06/2026

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HALPL/REP/25-26/1742/3
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	Date of Sampling	DD/MM/YY	30/12/2025		
02	Test Location		Near ETP		
03	Time of Sampling	Hrs	09:30-17:30		
04	Temperature (Max./Min)	Deg C	30/19		
05	Relative Humidity	% RH	46		
06	Sampling Duration	Hrs	8		
07	Respirable Suspended Particulate Matter (PM_{10})	µg/m³	86.30	≤100	IS 5182 (Part 23)
08	Fine Particulate Matter ($PM_{2.5}$)	µg/m³	41.24	≤60	IS 5182 (Part 24)
09	Sulphur Dioxide as SO_2	µg/m³	17.15	≤80	IS 5182 (Part 2): Sec.1
10	Nitrogen Dioxide as NO_2	µg/m³	31.75	≤80	IS 5182 (Part 6)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-03	AFDS/FM-03	SSEC/FF/1453	13/06/2025	12/06/2026
2	RDS-GSES/RDS-03	RDS/UM-03	SSEC/FF/1447	13/06/2025	12/06/2026

NAAQS – National Ambient Air Quality Standards (2009)

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

Lab Approved by MoEF, New Delhi.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HALPL/REP/25-26/1742/4
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	Date of Sampling	DD/MM/YY	30/12/2025		
02	Test Location		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	Time of Sampling (00.00)	Hrs	10:00		
04	Material of Stack		--		
05	Stack Height	Mtr	65		
06	Type of Fuel Used	--	Bagasse		
07	Fuel Consumption	MT/Hr	55		
08	Type of Stack		Round		
09	Flue Gas Temperature	Deg C	161		
10	Velocity	M/Sec	7.84		
11	Diameter of Stack	M	3.43		
12	Gas Volume	Nm^3/Hr	178899.56		
13	Particulate Matter as PM	mg/Nm^3	92.68	As per Consent	IS 11255 (Part 1)
14	Sulphur Dioxide as SO_2	Kg/Day	96.0	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1422	13/06/2025	12/06/2026

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HALPL/REP/25-26/1742/5
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	Date of Sampling	DD/MM/YY	30/12/2025		
02	Test Location		Incinerator Boiler		
03	Time of Sampling (00.00)	Hrs	10:30		
04	Material of Stack		--		
05	Stack Height	Mtr	82		
06	Type of Fuel Used	--	Coal & Con. Spent Wash		
07	Fuel Consumption	MT/Hr	--		
08	Type of Stack		Round		
09	Flue Gas Temperature	Deg C	198		
10	Velocity	M/Sec	8.76		
11	Diameter of Stack	M	3.43		
12	Gas Volume	Nm^3/Hr	307157.64		
13	Particulate Matter as PM	mg/Nm^3	69.33	As per Consent	IS 11255 (Part 1)
14	Sulphur Dioxide as SO_2	Kg/Day	101.40	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	SK-GSES/SK	SMK/RM-01	SSEC/FF/1422	13/06/2025	12/06/2026

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 06/03/2026)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mob.: 7249867318, 8378018710 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HALPL/REP/25-26/1742/6
Dated	: 06/01/2026
Inward No.	: GS-0789
Inward Date	: 31/12/2025
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 30/12/2025

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:15 hrs.	70.4	22:20 hrs.	65.3
02	Near Boiler	dB (A)	11:20 hrs.	65.2	22:25 hrs.	64.1
03	Near ETP Area	dB (A)	11: 25 hrs.	66.9	22:30 hrs.	62.7
04	Near Sugar Godown	dB (A)	11:30 hrs.	71.6	23:35 hrs.	65.3
05	Near Laboratory	dB (A)	11:35 hrs.	71.7	23:40 hrs.	66.2
06	Near Mill House	dB (A)	11:40 hrs.	73.0	23:45 hrs.	64.5
07	Near Pan Section	dB (A)	11:45 hrs.	71.5	23:50 hrs.	61.4
08	Near Sugar Plant	dB (A)	11:50 hrs.	72.1	23:55 hrs.	61.4
09	Near Weigh Bridge	dB (A)	11:55 hrs.	70.2	24:00 hrs.	65.8
10	Near Centrifugal	dB (A)	12:00 hrs.	69.6	24:05 hrs.	66.0

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	SLM-GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	SSEC/ME/192	13/06/2025	12/06/2026

Limits:
≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:
Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2000.

For **HORIZON SERVICES**

MANISHA NARGOLKAR
(Lab Incharge)

****End of Test Report****

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/2
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	93.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	52.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	8.00	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	30.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/3
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:35-13:35		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	71.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	29.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	27.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
2	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/062A/1
Dated	: 07/11/2022
Client.	: **M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI**
Site.	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL – SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. SHRUSTI ENVIROCARE

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	29/10/2022		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	9:00 - 17:00		
04	TEMPERATURE (Max./Min)	Deg C	34/22		
05	RELATIVE HUMIDITY	% RH	45		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	58.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	28.20	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	6.50	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	20.60	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	PEM – ADS 2.5µ/10µ Sr. No 21914	PICS/F/ADS/03-22/21	16/03/2022	15/03/2023
2	Respirable Dust Sampler; Sr. No. 4	TECH/CAL/2022/06.F/7	07/06/2022	06/06/2023

NAAQS – National Ambient Air Quality Standards (2009)

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/1
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:05-17:05		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m3	79.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	37.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.40	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/2
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	78.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	42.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	30.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/3
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	$\mu g/m^3$	70.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	$\mu g/m^3$	28.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	$\mu g/m^3$	6.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	$\mu g/m^3$	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
02	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/4
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	134		
10	VELOCITY	M/Sec	7.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm^3/Hr	189131.60		
13	PM	mg/Nm^3	79.40	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	40.10	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/5
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/11/2022

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:30 hrs.	71.0	22:30 hrs.	66.6
02	Near Boiler	dB (A)	10:40 hrs.	70.4	22:40 hrs.	66.3
03	Near ETP Area	dB (A)	10:50 hrs.	67.2	22:50 hrs.	63.7
04	Near Sugar Godown	dB (A)	11:00 hrs.	74.0	23:00 hrs.	69.1
05	Near Laboratory	dB (A)	11:10 hrs.	73.3	23:10 hrs.	68.0
06	Near Mill House	dB (A)	11:20 hrs.	72.5	23:20 hrs.	67.3
07	Near Pan Section	dB (A)	11:30 hrs.	73.9	23:30 hrs.	69.5
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.4	23:40 hrs.	68.0
09	Near Weigh Bridge	dB (A)	11:50 hrs.	70.7	23:50 hrs.	67.4
10	Near Centrifugal	dB (A)	12:00 hrs.	72.0	24:00 hrs.	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:
≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:
Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/5
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	186		
09	VELOCITY	M/Sec	8.65		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm^3/Hr	311146.87		
12	PM	mg/Nm^3	34.85	150	IS 11255 (Part 1)
13	SO_2	Kg/Day	108.20	500	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-2
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.10	5.5-9.0	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	60.00	< 100.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1784.00	< 2100.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	164.00	< 250.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	44.00	< 100.00	IS–3025 (Part 44) R–2009
6	Chlorides as Cl^-	mg/lit	338.00	< 600.00	APHA 23rd Ed 2017, 4500 Cl^-B
7	Sulphates as SO_4--	mg/lit	580.00	< 1000.00	APHA 23rd 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23rd Ed 2017, 5520 B

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-2
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.30	5.5-9.0	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	64.00	< 100.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1824.00	< 2100.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	178.00	< 250.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	48.00	< 100.00	IS–3025 (Part 44) R–2003
6	Chlorides as Cl^-	mg/lit	342.00	< 600.00	APHA 23rd Ed 2017, 4500 Cl-B
7	Sulphates as SO_4--	mg/lit	570.00	< 1000.00	APHA 23rd Ed 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23rd Ed 2017, 5520 B



For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/6
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 11/01/2023

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:20 hrs.	72.0	22:20 hrs.	66.7
02	Near Boiler	dB (A)	10:30 hrs.	72.9	22:30 hrs.	66.0
03	Near ETP Area	dB (A)	10:40 hrs.	67.4	22:40 hrs.	63.9
04	Near Sugar Godown	dB (A)	10:50 hrs.	74.7	22:50 hrs.	68.6
05	Near Laboratory	dB (A)	11:00 hrs.	73.1	23:00 hrs.	68.4
06	Near Mill House	dB (A)	11:10 hrs.	72.5	23:10 hrs.	68.1
07	Near Pan Section	dB (A)	11:20 hrs.	73.6	23:20 hrs.	69.7
08	Near Sugar Plant	dB (A)	11:30 hrs.	71.9	23:30 hrs.	69.0
09	Near Weigh Bridge	dB (A)	11:40 hrs.	69.9	23:40 hrs.	67.6
10	Near Centrifugal	dB (A)	11:50 hrs.	72.5	23:50 hrs.	70.0

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:
≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:
Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/10077A-4
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.10	IS 2720 (Part 26) 1987
2	Chlorides as Cl^-	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO_4--	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	12.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	142.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.10	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	58.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	28.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011



For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-4
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Pranav Mane-Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.00	IS 2720 (Part 26) 1987
2	Chlorides as Cl^-	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO_4^{--}	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	8.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	134.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	1.40	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	48.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/4
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	09:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	149		
10	VELOCITY	M/Sec	7.8		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm^3/Hr	183475.3		
13	PM	mg/Nm^3	86.58	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	98.60	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023



For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s. Shri Gurudatt Sugars Ltd. (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/10077A-3
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 23rd 2017, 4500-H+B
02	Electric Conductivity	µs/cm	154.00	Not Speciied	APHA 23rd 2017, 2510 B
03	Colour	Hazen	< 5.00	<5.00	APHA 23rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23rd 2017, 2150 B
05	Turbidity	NTU	< 1.00	<1.00	APHA 23rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	122.00	<500.00	APHA 23rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Speciied	APHA 23rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Speciied	IS 3025 (Part 44)- R–2003
09	Chlorides as Cl^-	mg/lit	40.00	<250.00	APHA 23rd 2017, 4500 Cl-B
10	Sulphates as SO_4--	mg/lit	72.00	<200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as $CaCO_3$	mg/lit	46.00	<200.00	APHA 23rd 2017, 2320 B
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	22.00	<30.00	APHA 23rd 2017, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/lit	120.00	<200.00	APHA 23rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23rd 2017, 3500 Fe B
16	Fluoride as F^-	mg/lit	<0.10	<1.00	APHA 23rd 2017, 4500-F⁻ D
17	Sodium as Na	mg/lit	8.00	Not Speciied	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For **HORIZON SERVICES**
(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-3
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Pandurang Koli-Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.30	6.5 – 8.5	APHA 23rd 2017, 4500-H+B
02	Electric Conductivity	µs/cm	138.00	Not Speciied	APHA 23rd 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23rd 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	116.00	<500.00	APHA 23rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	2.00	Not Speciied	APHA 23rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1.00	Not Speciied	IS 3025 (Part 44)- R–2003
09	Chlorides as Cl^-	mg/lit	34.00	<250.00	APHA 23rd 2017, 4500 Cl-B
10	Sulphates as SO_4--	mg/lit	64.00	<200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as $CaCO_3$	mg/lit	42.00	<200.00	APHA 23rd 2017, 2320 B
12	Calcium as Ca	mg/lit	24.00	<75.00	APHA 23rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	18.00	<30.00	APHA 23rd 2017, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/lit	102.00	<200.00	APHA 23rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23rd 2017, 3500 Fe B
16	Fluoride as F^-	mg/lit	<0.20	<1.00	APHA 23rd 2017, 4500-F^- D
17	Sodium as Na	mg/lit	4.00	Not Speciied	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.

For **HORIZON SERVICES**
(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/04904A-1
	REPORT DATE	01/08/2022
	LAB REFERENCE NO	HS/LAB/WA/0461A
	DATE OF SAMPLING	25/07/2022
	DATE OF ANALYSIS	26/07/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	Greensafe Enviro Services	---	Pandurang Koli - Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 23rd Ed 2017, 4500-H+B
02	Electric Conductivity	µs/cm	156.00	Not Speciied	APHA 23rd Ed 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23rd Ed 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23rd Ed 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23rd Ed 2017, 2130 B
06	Total Dissolved Solids	mg/lit	132.00	<500.00	APHA 23rd Ed 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Speciied	APHA 23rd Ed 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Speciied	IS 3025 (Part 44)- R–2003
09	Chlorides as Cl^-	mg/lit	38.00	<250.00	APHA 23rd ED 2017, 4500 Cl-B
10	Sulphates as SO_4--	mg/lit	68.00	<200.00	APHA 23rd Ed 2017, 4500 SO4 E
11	Alkalinity as $CaCO_3$	mg/lit	46.00	<200.00	APHA 23rd Ed 2017, 2320 B
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23rd Ed 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	20.00	<30.00	APHA 23rd Ed 2017, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/lit	106.00	<200.00	APHA 23rd Ed 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23rd Ed 2017, 3500 Fe B
16	Fluoride as F^-	mg/lit	<0.10	<1.00	APHA 23rd Ed 2017, 4500-F^- D
17	Sodium as Na	mg/lit	6.00	Not Speciied	APHA 23rd Ed 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.



For **HORIZON SERVICES**

(LAB INCHARGE)

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/09965
Dated	: 22/11/2022
Client	: **M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. HORIZON SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler Stack Without Lime Stone		
03	TIME OF SAMPLING	Hrs	13:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	--		
06	TYPE OF FUEL USED		--		
07	FUEL CONSUMPTION	MT/Hr	--		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	198		
10	VELOCITY	M/Sec	8.30		
11	DIAMETER OF STACK	M	4.1		
12	GAS VOLUME	Nm^3/Hr	249558.87		
13	TPM	mg/Nm^3	42.67	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	128.49	As per Consent	--
15	NOx	ppm	26.0	--	Flue Gas Analyser-based on manufacturer's Manual

Equipment Used: -1) Stack Monitoring Kit, Sr.No. 09/2018 (ETCL model)
Date of Calibration: -07/08/2022 Next Calibration due: - 06/08/2023

Gas Analyser - Sr. No. 60012564 (Seitron Make)
Date of Calibration: -14/09/2022 Next Calibration due: -13/09/2023

For **HORIZON SERVICES**

Received
14/11/22
Pravin Thakare

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/1
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m3	60.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	29.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	6.70	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	26.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/2
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	78.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	42.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.80	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	30.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/010048A/3
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYISIS
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	34/21		
05	RELATIVE HUMIDITY	% RH	40		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	70.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	28.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	6.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
02	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/09964
Dated	: 22/11/2022
Client	: **M/s SHREE GURUDATTA SUGARS LTD., TAKALIVADI**
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST –KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. HORIZON SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	METHODS USED
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler Stack With Lime Stone		
03	TIME OF SAMPLING	Hrs	12:20		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	--		
06	TYPE OF FUEL USED		--		
07	FUEL CONSUMPTION	MT/Hr	--		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	190		
10	VELOCITY	M/Sec	8.58		
11	DIAMETER OF STACK	M	4.1		
12	GAS VOLUME	Nm^3/Hr	262271.29		
13	TPM	mg/Nm^3	86.37	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	265.50	--	--
15	NOx	ppm	45.0	--	Flue Gas Analyser-based on manufacturer's Manual

Equipment Used: -1) Stack Monitoring Kit, Sr.No. 09/2018 (ETCL model)
Date of Calibration: -07/08/2022 Next Calibration due: - 06/08/2023

Gas Analyser - Sr. No. 60012564 (Seitron Make)
Date of Calibration: -14/09/2022 Next Calibration due: -13/09/2023

For **HORIZON SERVICES**

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/4
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/11/2022		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	134		
10	VELOCITY	M/Sec	7.7		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm^3/Hr	189131.60		
13	PM	mg/Nm^3	79.40	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	40.10	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/010048A/5
Dated	: 23/11/2022
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/11/2022

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:30 hrs.	71.0	22:30 hrs.	66.6
02	Near Boiler	dB (A)	10:40 hrs.	70.4	22:40 hrs.	66.3
03	Near ETP Area	dB (A)	10:50 hrs.	67.2	22:50 hrs.	63.7
04	Near Sugar Godown	dB (A)	11:00 hrs.	74.0	23:00 hrs.	69.1
05	Near Laboratory	dB (A)	11:10 hrs.	73.3	23:10 hrs.	68.0
06	Near Mill House	dB (A)	11:20 hrs.	72.5	23:20 hrs.	67.3
07	Near Pan Section	dB (A)	11:30 hrs.	73.9	23:30 hrs.	69.5
08	Near Sugar Plant	dB (A)	11:40 hrs.	72.4	23:40 hrs.	68.0
09	Near Weigh Bridge	dB (A)	11:50 hrs.	70.7	23:50 hrs.	67.4
10	Near Centrifugal	dB (A)	12:00 hrs.	72.0	24:00 hrs.	68.4

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:
≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:
Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-1
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.50	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	278.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1962.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	3902.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1840.00	IS–3025 (Part 44) R–2003
6	Chlorides as Cl^-	mg/lit	356.00	APHA 23rd Ed 2017, 4500 Cl^-B
7	Sulphates as SO_4--	mg/lit	664.00	APHA 23rd Ed 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	20.00	APHA 23rd Ed 2017, 5520 B

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-2
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.30	5.5-9.0	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	64.00	< 100.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1824.00	< 2100.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	178.00	< 250.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	48.00	< 100.00	IS–3025 (Part 44) R–2003
6	Chlorides as Cl^-	mg/lit	342.00	< 600.00	APHA 23rd Ed 2017, 4500 Cl^-B
7	Sulphates as SO_4--	mg/lit	570.00	< 1000.00	APHA 23rd Ed 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23rd Ed 2017, 5520 B

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s. Shri Gurudatt Sugars Ltd (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-4
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Hegade

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.10	IS 2720 (Part 26) 1987
2	Chlorides as Cl^-	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO_4--	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	12.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	142.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	2.10	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	58.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	28.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only • Liability limited till issue of test reports only

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s. Shri Gurudatt Sugars Ltd. (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	REPORT NO	HS/LAB/WA/10077A-3
	REPORT DATE	23/11/2022
	LAB REFERENCE NO	HS/LAB/WA/0898A
	DATE OF SAMPLING	18/11/2022
	DATE OF ANALYSIS	19/11/2022

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Bhokare Well

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 23rd 2017, 4500-H+B
02	Electric Conductivity	µs/cm	154.00	Not Speciied	APHA 23rd 2017, 2510 B
03	Colour	Hazen	< 5.00	<5.00	APHA 23rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23rd 2017, 2150 B
05	Turbidity	NTU	< 1.00	<1.00	APHA 23rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	122.00	<500.00	APHA 23rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Speciied	APHA 23rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Speciied	IS 3025 (Part 44)- R–2003
09	Chlorides as Cl^-	mg/lit	40.00	<250.00	APHA 23rd 2017, 4500 Cl-B
10	Sulphates as SO_4--	mg/lit	72.00	<200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as $CaCO_3$	mg/lit	46.00	<200.00	APHA 23rd 2017, 2320 B
12	Calcium as Ca	mg/lit	28.00	<75.00	APHA 23rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	22.00	<30.00	APHA 23rd 2017, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/lit	120.00	<200.00	APHA 23rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23rd 2017, 3500 Fe B
16	Fluoride as F^-	mg/lit	<0.10	<1.00	APHA 23rd 2017, 4500-F- D
17	Sodium as Na	mg/lit	8.00	Not Speciied	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.

For **HORIZON SERVICES**
(LAB INCHARGE)

DISCLAIMER:
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/1
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:05-17:05		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m3	79.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	37.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.40	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	27.00	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-01	TECH/CAL/2022/04.A/14	20/04/2022	19/04/2023
02	RDS/UM-01	TECH/CAL/2022/04.A/1	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

20/1/23
20/01/23
Received

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/2
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	$\mu g/m^3$	93.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	$\mu g/m^3$	52.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	$\mu g/m^3$	8.00	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	$\mu g/m^3$	30.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	RDS/FM-02	TECH/CAL/2022/04.A/15	20/04/2022	19/04/2023
02	RDS/UM-02	TECH/CAL/2022/04.A/3	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/22-23/13178A/3
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	17:35-13:35		
04	TEMPERATURE (Max./Min)	Deg C	32/20		
05	RELATIVE HUMIDITY	% RH	46		
06	SAMPLING DURATION	Hrs	8		
07	PM_{10}	µg/m³	71.00	≤100	IS 5182(part 23),2006
08	$PM_{2.5}$	µg/m³	29.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO_2	µg/m³	7.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO_2	µg/m³	27.40	≤80	IS 5182(part 6),2006

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
1	RDS/FM-03	TECH/CAL/2022/04.A/16	20/04/2022	19/04/2023
2	RDS/UM-03	TECH/CAL/2022/04.A/5	20/04/2022	19/04/2023

NAAQS – National Ambient Air Quality Standards (2009)
BDL- Below detectable level

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab.. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/4
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	09:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	149		
10	VELOCITY	M/Sec	7.8		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm^3/Hr	183475.3		
13	PM	mg/Nm^3	86.58	As per Consent	IS 11255 (Part 1)
14	SO_2	Kg/Day	98.60	As per Consent	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/5
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	11/01/2023		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	186		
09	VELOCITY	M/Sec	8.65		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm^3/Hr	311146.87		
12	PM	mg/Nm^3	34.85	150	IS 11255 (Part 1)
13	SO_2	Kg/Day	108.20	500	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	SMK/IT-01	TECH/CAL/2022/04.A/7	20/04/2022	19/04/2023

For **HORIZON SERVICES**

DISCLAIMER:
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/22-23/13178A/6
Dated	: 19/01/2023
Client	: **M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI**
Site	: **GAT NO.61/A, AKIWAT TAKALIWADI ROAD,TAKALIWADI, TAL-SHIROL, DIST–KOLHAPUR, PIN- 416108.**
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 11/01/2023

RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	10:20 hrs.	72.0	22:20 hrs.	66.7
02	Near Boiler	dB (A)	10:30 hrs.	72.9	22:30 hrs.	66.0
03	Near ETP Area	dB (A)	10:40 hrs.	67.4	22:40 hrs.	63.9
04	Near Sugar Godown	dB (A)	10:50 hrs.	74.7	22:50 hrs.	68.6
05	Near Laboratory	dB (A)	11:00 hrs.	73.1	23:00 hrs.	68.4
06	Near Mill House	dB (A)	11:10 hrs.	72.5	23:10 hrs.	68.1
07	Near Pan Section	dB (A)	11:20 hrs.	73.6	23:20 hrs.	69.7
08	Near Sugar Plant	dB (A)	11:30 hrs.	71.9	23:30 hrs.	69.0
09	Near Weigh Bridge	dB (A)	11:40 hrs.	69.9	23:40 hrs.	67.6
10	Near Centrifugal	dB (A)	11:50 hrs.	72.5	23:50 hrs.	70.0

Calibrations details: -

Sr. No.	Instrument	Certificate No.	Last Calibrated on	Due Date
01	Make- Mextech, SR.NO.-GE/DB-01, MODEL NO.-4201	TECH/CAL/2022/04.A/11	20/04/2022	19/04/2023

Limits:
≤75 dB (A) For Day Time
≤70 dB (A) For Night Time

REMARK/OBSERVATIONS:
Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.

For **HORIZON SERVICES**

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-2
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.10	5.5-9.0	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	60.00	< 100.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1784.00	< 2100.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	164.00	< 250.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	44.00	< 100.00	IS–3025 (Part 44) R–2009
6	Chlorides as Cl^-	mg/lit	338.00	< 600.00	APHA 23rd Ed 2017, 4500 Cl^-B
7	Sulphates as SO_4--	mg/lit	580.00	< 1000.00	APHA 23rd 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	<5.00	< 10.00	APHA 23rd Ed 2017, 5520 B

For **HORIZON SERVICES**

Mangaonkar

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-1
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.70	APHA 23rd Ed 2017, 4500-H^+B
2	Total Suspended Solids	mg/lit	286.00	APHA 23rd Ed 2017, 2540 D
3	Total Dissolved Solids	mg/lit	1978.00	APHA 23rd Ed 2017, 2540 C
4	Chemical Oxygen Demand	mg/lit	3924.00	APHA 23rd Ed 2017, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1854.00	IS–3025 (Part 44) R–2009
6	Chlorides as Cl^-	mg/lit	364.00	APHA 23rd Ed 2017, 4500 Cl^-B
7	Sulphates as SO_4--	mg/lit	688.00	APHA 23rd Ed 2017, 4500 SO_4 E
8	Oil & Grease	mg/lit	16.00	APHA 23rd Ed 2017, 5520 B

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/13075A-4
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT DATE**	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Pranav Mane-Takali

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH(10 % Extract)	---	7.00	IS 2720 (Part 26) 1987
2	Chlorides as Cl^-	mg/kg	224.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO_4^{--}	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	8.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	134.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	20.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	1.40	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	48.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	32.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011

For **HORIZON SERVICES**

(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

HORIZON SERVICES
Analytical Laboratory

Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)
"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202, 25460203. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS		
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	**REPORT NO**	HS/LAB/WA/13075A-3
	REPORT DATE	19/01/2023
	LAB REFERENCE NO	HS/LAB/WA/1109A
	DATE OF SAMPLING	11/01/2023
	DATE OF ANALYSIS	12/01/2023

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Pandurang Koli-Takali, Near Distillery

RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.30	6.5 – 8.5	APHA 23rd 2017, 4500-H^+B
02	Electric Conductivity	µs/cm	138.00	Not Speciied	APHA 23rd 2017, 2510 B
03	Colour	Hazen	<5.00	<5.00	APHA 23rd 2017, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 23rd 2017, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 23rd 2017, 2130 B
06	Total Dissolved Solids	mg/lit	116.00	<500.00	APHA 23rd 2017, 2540 C
07	Chemical Oxygen Demand	mg/lit	2.00	Not Speciied	APHA 23rd 2017, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1.00	Not Speciied	IS 3025 (Part 44)- R–2003
09	Chlorides as Cl^-	mg/lit	34.00	<250.00	APHA 23rd 2017, 4500 Cl-B
10	Sulphates as SO_4^{--}	mg/lit	64.00	<200.00	APHA 23rd 2017, 4500 SO4 E
11	Alkalinity as $CaCO_3$	mg/lit	42.00	<200.00	APHA 23rd 2017, 2320 B
12	Calcium as Ca	mg/lit	24.00	<75.00	APHA 23rd 2017, 3500 Ca B
13	Magnesium as Mg	mg/lit	18.00	<30.00	APHA 23rd 2017, 3500 Mg B
14	Total Hardness as $CaCO_3$	mg/lit	102.00	<200.00	APHA 23rd 2017, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 23rd 2017, 3500 Fe B
16	Fluoride as F^-	mg/lit	<0.20	<1.00	APHA 23rd 2017, 4500-F^- D
17	Sodium as Na	mg/lit	4.00	Not Speciied	APHA 23rd 2017, 3500 Na B

REMARK: As per IS 10500: 2018, above water sample is chemically & bacteriologically potable for drinking purpose, for the parameters tested.

For **HORIZON SERVICES**
(LAB INCHARGE)

DISCLAIMER :
• Sample will be retained only for 15 days. • Above results indicate to the parameters mentioned only. • Liability limited till issue of test reports only.
• The test report shall not be produced for any legal identity or advertised without permission of lab. • The effect of results relate only to the item tested.

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/02/101-A	**Date:** 26/02/2026 11:52 AM
ULR No.: TC-1168526000000386F	

Test Report-Water (JVS)

Field Sample ID		BR-0109715	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd		
Industry Consent No./UAN No.		MPCB-CONSENT-0000008816	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	OTHERS (CPU outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	02/02/2026	Total No. of Containers	1
	Time	04:15 PM	Nature/Description of Sample	Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/1409**	Sample condition	Ok, as per QSP 08
Received by lab	Date	03/02/2026	Analysis Started On	04/02/2026 11:48 AM
	Time	02:08 PM	Analysis Completed On	26/02/2026 11:42 AM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	7.9		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	972.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	16.0	mg/l	IS 3025 (Part 17)

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	9.0	mg/l	IS 3025 (Part 44)
5	Chloride	86.67	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	28.0	mg/l	IS 3025 (Part 58)
7	Sulphate	268.90	mg/l	APHA 24th Edition 4500-SO4 E (Turbidimetric Method)
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil

Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/02/102-A	**Date:** 26/02/2026 11:59 AM
ULR No.: TC-1168526000000387F	

Test Report-Water (JVS)

Field Sample ID		BR-0109714	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd.,		
Industry Consent No./UAN No.		MPCB-CONSENT-0000083686	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	ETP (Outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	02/02/2026	Total No. of Containers	1
	Time	04:10 PM	Nature/Description of Sample	Treated Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/1408**	Sample condition	Ok, as per QSP 08
Received by lab	Date	03/02/2026	Analysis Started On	04/02/2026 11:48 AM
	Time	02:06 PM	Analysis Completed On	26/02/2026 11:42 AM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	7.9		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	173.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	13.0	mg/l	IS 3025 (Part 17)

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	2.8	mg/l	IS 3025 (Part 44)
5	Chloride	22.94	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	12.0	mg/l	IS 3025 (Part 58)
7	Sulphate	38.14	mg/l	APHA 24th Edition 4500-SO4 E (Turbidimetric Method)
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil

Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

MAHARASHTRA POLLUTION CONTROL BOARD
MOBILE VAN AMBIENT AIR MONITORING

VAN NO:- MH01:EE2204 : KOLHAPUR				Latitude : 16.6162308		Longitude : 74.5818998		
Location :	Shree GuruDatta Sugars Ltd, Takaliwadi.					Report Type:	Mean	
	Date: DEC 25	Near ETP		KM Travels:	55 KM	Time Base:	Hourly	
Date & Time	PM10	PM2.5	SO2	CO	OZONE	NO	NO2	NOX	Remark
	ug/m3	ug/m3	ug/m3	mg/m3	ug/m3	ug/m3	ug/m3	PPB	
30/12/2025 18:00	173.69	50.4	0.91	0.25	12.38	0.36	26.89	14.25	
30/12/2025 19:00	166.45	53.75	0.88	0.18	18.26	0.69	29.95	16.05	
30/12/2025 20:00	127.64	54.07	0.66	0.6	29.12	0.95	30.16	16.32	
30/12/2025 21:00	148.63	57.49	0.63	0.11	23.13	1.03	24.49	13.4	
30/12/2025 22:00	167.39	49.26	0.87	0.26	25.77	0.59	20.83	11.23	
30/12/2025 23:00	98.89	56.65	1.05	0.18	17.97	0.35	18.23	9.73	
31/12/2025 00:00	87.59	57.35	0.7	0.73	14.07	0.46	17.23	9.27	
31/12/2025 01:00	104.92	53.95	0.93	0.57	17.36	0.41	14.86	8.01	
Min	87.59	49.26	0.63	0.11	12.38	0.35	14.86	8.01	
Date & Time	31/12/2025 00:00	30/12/2025 22:00	30/12/2025 21:00	30/12/2025 21:00	30/12/2025 18:00	30/12/2025 23:00	31/12/2025 01:00	31/12/2025 01:00	
Max	173.69	57.49	1.05	0.73	29.12	1.03	30.16	16.32	
Date & Time	30/12/2025 18:00	30/12/2025 21:00	30/12/2025 23:00	31/12/2025 00:00	30/12/2025 20:00	30/12/2025 21:00	30/12/2025 20:00	30/12/2025 20:00	
AVG	134.40	54.12	0.83	0.36	19.76	0.61	22.83	12.28	
Standard Limit	100	60	80	2	100		80		

envea™ KNOWLEDGE IN ACTION

Sampling Done By :

MAHARASHTRA POLLUTION CONTROL BOARD
MOBILE VAN AMBIENT AIR MONITORING

VAN NO:- MH01:EE2204 : KOLHAPUR	Latitude : 16.6162308	Longitude : 74.5818998	
Station:	Shree GuruDatta Sugars Ltd, Takaliwadi.		
Date:	Dec-25	Near ETP	KM Travels: 55 KM

Date & Time	Benzene	Toulene	Ethylbenzene	M+P Xylene	Oxylene	Remark
	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	
30/12/2025 18:00	0.85	9.79	0.04	0.15	0.29	
30/12/2025 19:00	1.54	11.65	0.11	0.36	0.65	
30/12/2025 20:00	3.08	14.42	0.24	1.25	2.34	
30/12/2025 21:00	0.66	10.38	0.92	3.79	2.1	
30/12/2025 22:00	1.33	11.99	1.18	4.39	2.19	
30/12/2025 23:00	0.99	11.96	1.12	3.89	1.34	
31/12/2025 00:00	0.54	11.45	1.03	3.58	1.84	
31/12/2025 01:00	0.86	9.66	0.88	3.04	0.8	
Min	0.54	9.66	0.04	0.15	0.29	
Date & Time	31/12/2025 00:00	31/12/2025 01:00	30/12/2025 18:00	30/12/2025 18:00	30/12/2025 18:00	
Max	3.08	14.42	1.18	4.39	2.34	
Date & Time	30/12/2025 20:00	30/12/2025 20:00	30/12/2025 22:00	30/12/2025 22:00	30/12/2025 20:00	
AVG	1.23	11.41	0.69	2.56	1.44	
Standard Limit	5					

Sampling Done By :

MAHARASHTRA POLLUTION CONTROL BOARD
MOBILE VAN AMBIENT AIR MONITORING

VAN NO:- MH01:EE2204 KOLHAPUR		Latitude : 16.6162308		Longitude : 74.5818998		
	Location :	Shree GuruDatta Sugars Ltd, Takaliwadi.				Mean
	Date:	Dec-25	Near ETP	KM Travels:	55 KM	
Date & Time	TEMPERATURE	RH	Solar Rad	WS	WD	Rain	Remark
	°C	%	W/M²	m/s	degree	mm	
30/12/2025 18:00	23.61	51.78	0	3.31	92.23	0.00	
30/12/2025 19:00	23.17	52.72	0	3.62	127.4	0.00	
30/12/2025 20:00	21.98	53.82	0	3.82	131.75	0.00	
30/12/2025 21:00	21.8	54.3	0	3.59	103.48	0.00	
30/12/2025 22:00	20.71	57.38	0	3.63	104.28	0.00	
30/12/2025 23:00	20.01	59.16	0	3.45	115.84	0.00	
31/12/2025 00:00	19.71	60.5	0	3.55	110.03	0.00	
31/12/2025 01:00	18.53	64.67	0	3.46	74.23	0.00	
Min	18.53	51.78	0.00	3.31	74.23	0.00	
Date & Time	31/12/2025 01:00	30/12/2025 18:00	30/12/2025 18:00	30/12/2025 18:00	31/12/2025 01:00	30/12/2025 18:00	
Max	23.61	64.67	0.00	3.82	131.75	0.00	
Date & Time	30/12/2025 18:00	31/12/2025 01:00	30/12/2025 18:00	30/12/2025 20:00	30/12/2025 20:00	30/12/2025 18:00	
AVG	21.19	56.79	0.00	3.55	107.41	0.00	

Sampling Done By :

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/02/32-A	**Date:** 09/02/2026 06:35 PM
ULR No.: TC-1168526000000282F	

Test Report-Water (JVS)

Field Sample ID		BR-0108805	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd		
Industry Consent No./UAN No.		MPCB-CONSENT-0000008816	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	ETP (Outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	14/01/2026	Total No. of Containers	1
	Time	04:10 PM	Nature/Description of Sample	Treated Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/1343**	Sample condition	Ok, as per QSP 08
Received by lab	Date	20/01/2026	Analysis Started On	21/01/2026 07:07 PM
	Time	01:19 PM	Analysis Completed On	09/02/2026 06:26 PM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	7.7		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	1310.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	12.0	mg/l	IS 3025 (Part 17)

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	2.8	mg/l	IS 3025 (Part 44):2023
5	Chloride	42.89	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	12.0	mg/l	IS 3025 (Part 58)
7	Sulphate	115.40	mg/l	APHA 24th Edition, 2510-B
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil

Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 02355-261970 Fax : - Email : mpcbchiplunlab@mpcb.gov.in Website : http://mpcb.gov.in	"Your Service is our Duty"	**Regional Laboratory** Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605

Repot Outward No.: MPCB/RL-Chiplun/Source Emission/25-26/02/14-B
Date: 10/02/2026 01:20 PM

Analysis Report-Air (Source Emission)

Client/Industry/location Name & Address
Shri Gurudatt Sugars Ltd R12 Sugar (excluding Khandsari)

Sample Details	
Field Sample ID :	BR-0107629
Laboratory Sample Code :	MPCB/RL-Chiplun/STK/25-26/24
Sample Details (Water/Air/HW) :	Air
Sample Collected By :	FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)
Seal No. :	249
Type of Industry / Location details :	Red
Sample Collected On :	Dec 19 2025 03:30:00:000PM

Sr.No	Parameter	Result	Unit	Method of analysis
1	SO2	47	mg/m^3	IS 11255 (Part 2)
2	Particulate Matter	39	mg/Nm^3	IS 11255 (Part 1) :1985 Reaffirmed 2019

Remark: Nil

Report Type: final

Report generated on: 10/02/2026 01:21 PM

Complied & Approved by: Dayanand Tare

Reviewed on Date: 10/02/2026 01:20 PM

Reviewed by: Dayanand Tare

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

* Electronic report does not require signature

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

Copyright © 2020 LIMS. All rights reserved.

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/12/77-A	**Date:** 13/12/2025 08:54 PM
ULR No.: TC-1168525000001475F	

Test Report-Water (JVS)

Field Sample ID		BR-0106326	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd		
Industry Consent No./UAN No.		MPCB-CONSENT-0000008816	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	ETP (Outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	02/12/2025	Total No. of Containers	1
	Time	02:00 PM	Nature/Description of Sample	Treated Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/1083**	Sample condition	Ok, as per QSP 08
Received by lab	Date	03/12/2025	Analysis Started On	05/12/2025 03:19 PM
	Time	02:29 PM	Analysis Completed On	13/12/2025 08:49 PM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	8.2		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	334.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	13.0	mg/l	IS 3025 (Part 17)

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	6.5	mg/l	IS 3025 (Part 44)
5	Chloride	39.74	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	40.0	mg/l	IS 3025 (Part 58)
7	Sulphate	14.35	mg/l	APHA 24th Edition 4500-SO4 E (Turbidimetric Method)
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil

Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/12/78-A	**Date:** 13/12/2025 08:54 PM
ULR No.: TC-1168525000001476F	

Test Report-Water (JVS)

Field Sample ID		BR-0106327	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd.,		
Industry Consent No./UAN No.		MPCB-CONSENT-0000083686	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	OTHERS (CPU outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	02/12/2025	Total No. of Containers	1
	Time	02:05 PM	Nature/Description of Sample	Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/1084**	Sample condition	Ok, as per QSP 08
Received by lab	Date	03/12/2025	Analysis Started On	05/12/2025 03:20 PM
	Time	02:31 PM	Analysis Completed On	13/12/2025 08:49 PM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	9.5		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	46.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	11.0	mg/l	IS 3025 (Part 17)

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	4.0	mg/l	IS 3025 (Part 44)
5	Chloride	7.45	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	20.0	mg/l	IS 3025 (Part 58)
7	Sulphate	8.30	mg/l	APHA 24th Edition 4500-SO4 E (Turbidimetric Method)
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil

Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

"Your Service is our Duty"

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Laboratory, Chiplun.
Regional Laboratory, Chiplun, Maharashtra Pollution Control Board, 105,106 Parkar Complex, 1st Floor, Behind Nagar Parishad, Chiplun, Dist. Ratnagiri. 415 605, Tel : 02355-261970
e-mail : mpcbchiplunlab@mpcb.gov.in
website : http://mpcb.gov.in

TC-11685

NABL Accreditation:- ISO/IEC 17025:2017, TC-11685	Issue Date: 23/05/2023 Validity: 22/05/2025
Certification Standards:- ISO 45001: 2018, OHS-5241	Issue Date: 20/02/2024 Validity: 25/02/2027
MoEF Recognition: Legal 42(3)87	Issue Date: 04/08/2020 Validity: 03/08/2025

Test Report No.: MPCB/RL-Chiplun/JVS/25-26/11/119-A	**Date:** 28/11/2025 01:38 PM
ULR No.: TC-1168525000001368F	

Test Report-Water (JVS)

Field Sample ID		BR-0105419	Type of Industry	17 Category
Name & Address of the Industry		Shri Gurudatt Sugars Ltd		
Industry Consent No./UAN No.		MPCB-CONSENT-0000008816	Type of Sample	Water
Sample collected by (Officer Name)		FO-Kolhapur (Ankush Patil) (SRO-Kolhapur)	Location of sample collection	ETP (Outlet)
Seal No.:		249	Method of sample collection	Grab
Sample Collection	Date	15/11/2025	Total No. of Containers	1
	Time	01:25 PM	Nature/Description of Sample	Treated Effluent

Lab ID		**MPCB/RL-Chiplun/JVS/25-26/992**	Sample condition	Ok, as per QSP 08
Received by lab	Date	18/11/2025	Analysis Started On	21/11/2025 03:23 PM
	Time	02:42 PM	Analysis Completed On	28/11/2025 01:28 PM
Sample recived by (Name & Designation)		Dayanand Tare (Scientific Officer)		

Sr.No	Parameter	Results	Unit	Test Method
1	pH@25 degree C	8.1		IS 3025 (Part 11)
2	Total Dissolved Solids(TDS)	893.0	mg/l	IS 3025 (Part 16)
3	Suspended Solids (SS) @105 degree C	19.0	mg/l	IS 3025 (Part 17)

Sr.No	Parameter	Results	Unit	Test Method
4	Biochemical Oxygen Demand (BOD) 3 days at 27 degree C	4.0	mg/l	IS 3025 (Part 44):2023
5	Chloride	79.83	mg/l	IS 3025 (Part 32)
6	Chemical Oxygen Demand (COD)	16.0	mg/l	IS 3025 (Part 58)
7	Sulphate	21.26	mg/l	APHA 24th Edition, 2510-B
8	Oil & Grease	BDL	mg/l	IS 3025 (part 39)

Remarks: Nil


Approved & Reviewed By

Dayanand Tare
Scientific Officer,
I/c Regional Laboratory,
Chiplun,
(Authorized Signatory)

Note :
1. The results refer to the samples and parameters requested for analysis.
2. Abbreviations: - BDL=Below Detectable limit, N.D.=Not Detected, N.A.= Not Analyzed
3. The Contents of this Report shall not be reproduced in part or in full without written approval of laboratory.

*** End of the Report ***

Condensate Polishing Unit









Online Monitoring System at SGSL





सहभाग प्रमाणपत्र व स्मृती चिन्ह पान ४ वर

News dt. 31/03/2017

जाहीर नोटीस

श्री गुरूदत्त शुगर्स लिमिटेड टाकळीवाडी पर्यावरण विषयक अनुमती

श्री गुरूदत्त शुगर्स लिमिटेड, गट नं.६१/अ, अकिवाट टाकळीवाडी रोड, टाकळीवाडी, ता.शिरोळ, जि.कोल्हापूर पिन नं.४१६१०८ तर्फे कळविणेत येते की, आमच्या कारखान्यामध्ये गाळप क्षमता 4900 TCD ते 6000 TCD व सहविजनिर्मिती प्रकल्प 15MW ते 21 MW वाढीव प्रकल्पास भारत सरकारचे पर्यावरण, वनविभाग व हवामान बदल, मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ F. No. J-11011/41/2015-IA-II (I) दिनांक २०/३/२०१७ ने विस्तारीकरणास अनुमती मिळालेली आहे.

श्री. माधवराव भगवानराव घाटगे
चेअरमन व कार्यकारी संचालक
श्री गुरूदत्त शुगर्स लिमिटेड, टाकळीवाडी

बंधुता पेपर

PUBLIC NOTICE

To whomsoever, it may concern

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat 61/A, Akiwat- Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur- 416108. Maharashtra has been granted Environmental Clearance for their proposed expansion of sugar plant 4900 TCD to 6000 TCD and Co-generation 15 MW to 21 MW vide letter No. F. No. J-11011/ 47/ 2015- [A-II(I), Dt. 20/03/2017.

The Copy of same can be viewed at website of ministry of Environment and forest and climate change of http://moef.nic.in

-Shri Madhavrao B. Ghatge
Chairman &
Managing Director

The Indian EXPRESS epaper editions Sat epa

Regd. No. 25-14167 CIN-U15419PN2010PLC137...

SHRI GURUDATT SUGARS LTD., Takaliwadi

I ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 10
I PHONE : +91 231 2686098 I FAX : +91 231 2686000 I WEBSITE : www.sgsl.co.in I Email : gslsugars@gmail.com

SGSL/ENVI/ 449 /2017-2018 Date – 31/03/2017

To,
The Chief Executive Officer so,
Zilha Parishad Office,
Nagala Park, Kolhapur.

Subject: Submission of Environmental Clearance Copy for Shri Gurudatt Sugars Ltd. Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal. Shirol, Dist. Kolhapur, Maharashtra.

Ref: MoEF & CC Letter No.F. No. –J – 11011 / 41 / 2015 –IA – II (I) Dated 20.03.2017

Respected Sir,

With reference to above subject, we are submitting here with Environmental Clearance Copy of sugar manufacturing (from 4900 TCD to 6000 TCD, Co-generation capacity (15 MW to 21 MW) at Gat No. 61/A, Akiwat Takaliwadi Road, Tal. Shirol, Dist. Kolhapur, Maharashtra received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information please.

Thanking You.

Yours Faithfully

For, Shri Gurudatt Sugars Ltd.,

President

Copy –Enclosed above with copy of EC

3/4/2017

Shri. Bhagawanrao G. Ghatge
Founder
Shri. Madhavrao B. Ghatge
Chairman & Managing Director

SHRI GURUDATT SUGARS LIMITED

Gat No.61, Akiwat-Takaliwadi Road, Near Balumama Mandir,
TAKALIWADI - 416 108 Tal.: Shirol, Dist.:Kolhapur (Maharashtra State)
Reg. No. 25-14367, Tele Fax : (02322) 241577, 241877, 241977
Ph. (0231) 2686086 Fax No. (0231) 2686000 E-mail : gslsugars@gmail.com

AN ISO 9001 : 2008
Certified Company

Ref. No. गुरुदत्त शुगर्स/विजेपी/14-a/2017 Date : 26/03/2017

प्रति,
मा.सरपंच / ग्रामसेवक
मु.पो. टाकळीवाडी ता. शिरोळ
जि. कोल्हापूर

विषय :- ना हरकत दाखला मिळणेबाबत ..

महोदय

आमचे श्री गुरूदत्त शुगर्स लि.टाकळीवाडी या कारखान्याच्या सध्या असलेल्या ४९०० मे.टन प्रतिदिन गाळप क्षमता व १५ मेगावॅट विजनिर्मिती प्रकल्पाची क्षमता विस्तारीकरन प्रतिदिन ६००० मे.टन उस गाळप व २१ मेगावॅट विजनिर्मिती करणेस central Pollution control Board ,Delhi.यांचेकडून दि.२०/०३/२०१७ च्या पत्राने मान्यता मिळाली आहे.

तरी सदरच्या वाढीव गाळप क्षमता व विजनिर्मिती प्रकल्पाचे विस्तारीकरणास आपल्या ग्रामपंचायतीचा ना हरकत दाखला मिळावा हि विंनती.

सोबत :- CPCB चे मंजुरीचे पत्र.

आपला विश्वासू

प्रेसीडेंन्ट
श्री गुरूदत्त शुगर्स लि.टाकळीवाडी.

Received
26/3/2017
ग्रामसेवक,
ग्रामपंचायत टाकळीवाडी,
ता. शिरोळ, जि. कोल्हापूर.

Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2026

Unique Application Number	Submitted Date
MPCB-ENVIRONMENT_STATEMENT-0000091398	07-04-2026

PART A

Company Information

Company Name	Application UAN number	
Shri Gurudatt Sugars Ltd	MPCB-CONSENT-0000246245	
Address		
Gat No - 61/A, A/p - Takaliwadi		
Plot no	**Taluka**	**Village**
Gat No 61/A, Akiwat Takaliwadi Road	Shirol	Akiwat -Takaliwadi Road
Capital Investment (In lakhs)	**Scale**	**City**
27573.00	L.S.I	Kolhapur
Pincode	**Person Name**	**Designation**
416108	Mr Rangaprasad	Chief Executive Officer
Telephone Number	**Fax Number**	**Email**
7350010520	023126860000	gslsugars.env@gmail.com
Region	**Industry Category**	**Industry Type**
SRO-Kolhapur	Red	R12 Sugar (excluding Khandsari)
Last Environmental statement submitted online	**Consent Number**	**Consent Issue Date**
yes	MPCB-CONSENT-0000246245	2025-10-06
Consent Valid Upto	**Establishment Year**	**Date of last environment statement submitted**
2026-07-31	2002	Apr 11 2025 12:00:00:000AM
Industry Category Primary (STC Code) & Secondary (STC Code)		

Product Information

Product Name	Consent Quantity	Actual Quantity	UOM
Electric Power (Cogeneration)	181440	40679.444	Mwh
Sugar	259200	56434	MT/A
Press Mud	87816	18501.56	MT/A
Molasses	87816	22381	MT/A
Bagasse	64800	140433	MT/A

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	0	0	CMD

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for	Consent Quantity in m3/day	Actual Quantity in m3/day
Process	1100.00	1068.00
Cooling	475.00	470.00
Domestic	60.00	48.00
All others	0.00	0.00
Total	1635.00	1586.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Daily Quantity of Trade Effluent from the Factoy	518	440	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
Sugar (excluding Khandsari)	0.75	0.74	CMD
Sugar (excluding Khandsari)	0.55	0.56	CMD
Sugar (excluding Khandsari)	0.50	0.51	CMD
Sugar (excluding Khandsari)	0.50	0.51	CMD
Sugar (excluding Khandsari)	0.1	0.1	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
Sugar Cane	512020.523	516408.385	MT/A
Sulphure	195.39	177.5	MT/A
Lime	1015.18	965.35	MT/A

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
Bagasse	648000	140733	MT/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
PH	14.50	0	0	0	0
COD	40.70	0	0	0	0
BOD	12.78	0	0	0	0

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
Total Particulate Matter	488.52	50.40	0	0	0

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0.17	0.14	MT/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0.17	0.14	MT/A

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Sludge from waste water treatment	5.32	5.39	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	2192.11	2174.32	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0.17	0.14	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	0.14	MT/A	NA

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	MT/A	0

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)

The 100% Septic tank water is recycled for Gardening purpose.	54	138.52	442	410	17.20	2.38

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	***Environmental Protection Measures***	***Capital Investment (Lacks)***
Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.	Tree Plantation (Quantity 500 Nos)	9.5

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	***Environmental Protection Measures***	***Capital Investment (Lacks)***
Good House Keeping kept in a mfg plant massive tree plantation done on available land.	Tree Plantation (Quantity 500 Nos)	7.5

Part-I

Any other particulars for improving the quality of the environment.

Particulars

We have planted about 1000 Nos plants around the Distillery for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

Name & Designation

Mr. Rangaprasad

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000091398

Submitted On:

07-04-2026

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	41	Rudragounda B. Patil	Male	58	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
2	80	Virendra V. Patil	Male	46	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
3	98	Sandip B. Bore	Male	40	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
4	127	Bahubali B. Patil	Male	45	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
5	294	Nilesh V. Yadav	Male	53	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
6	494	Ajit B. Murgunde	Male	45	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
7	701	Manohar M. Bhosale	Male	50	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
8	703	Anil B. Biranje	Male	38	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
9	917	Sagar B. Mali	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
10	982	Yuvraj S. Nimbalkar	Male	38	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
11	994	Rakesh R. Magdum	Male	35	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
13	1413	Arjun A. Koli	Male	36	Account	NA	NA			05-01-26	FIT	NA	NA	NA	
14	13001	Kedari V. Mane	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
15	13003	Vinod S. Benade	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
16	1279	Vikas B. Chougule	Male	38	Admin	NA	NA			05-01-26	FIT	NA	NA	NA	
17	90	Tanaji S. Patil	Male	48	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
18	102	Dilip D. Killedar	Male	56	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
19	121	Avinash J. Bastwade	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
20	135	Ramchandra M. Naikwade	Male	54	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
21	138	Uttam P. Ghatage	Male	47	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
22	139	Sanjay N. Akiwate	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
23	274	Rajendra D. Latwade	Male	46	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
24	276	Devendra A. Shirguppe	Male	42	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
25	277	Suresh P. Godhade	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
26	291	Shivaji S. Gawade	Male	41	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
27	301	Sachin Kumar K. Hemgire	Male	44	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
28	303	Sahanawaz Y. Mulla	Male	42	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
29	330	Vijay S. Powar	Male	43	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
30	352	Pralhad V. Kamble	Male	51	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
31	386	Vishwnath K. Shinde	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
32	413	Sanjeev B. Huddar	Male	53	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
33	471	Milind P. Kamble	Male	50	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
34	472	Sandip K. Tapkire	Male	51	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
35	511	Uday A. Powar	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
36	515	Shital A. Kurundwade	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
37	516	Dhairyshil S. Khamkar	Male	41	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
38	520	Hemgodda V. Patil	Male	43	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
39	561	Dpak P. Chavan	Male	49	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
40	572	Santosh A. Bastwade	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
41	584	Atul S. Patil	Male	36	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
42	638	Chandrakant S. Shinde	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
43	639	Sayaji G. Khot	Male	57	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
44	642	Prashant R. Shetti	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
45	694	Ganesh B. Munagutte	Male	38	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
46	699	Mohan K. Patil	Male	49	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
47	797	Santosh S. Ghatage	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
48	798	Akaram S. Gavade	Male	39	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
49	799	Suresh K. Yadav	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
50	803	Santosh B. Latwade	Male	45	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
51	902	Amar A. Patil	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
52	918	Amar V. Pawar	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
53	936	Nilesh B. Dalavi	Male	38	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
54	983	Arun S. Patil	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
55	1006	Vinayak S. Kamble	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
56	1074	Audumbar N. Budhawale	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
57	1134	Rahul G. Pattekar	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
58	1163	Prakash B. Patil	Male	36	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
59	1179	Sangram B. Ghorpade	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
60	1181	Indrajeet L. Patil	Male	35	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
61	1187	Kulbhushan S. Gudave	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
62	1288	Prakash B. Mugdum	Male	54	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
63	1327	Yuvraj Shivaji Patil	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
64	1354	Vishal R. Repe	Male	32	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
65	1358	Ranjit S. Kolekar	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
66	1407	Sachin B. Ghatage	Male	37	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
67	5157	Suhas M. Patil	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
68	691	Ananda M. Fakande	Male	43	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
69	1162	Gopal S. Bhandare	Male	42	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
70	1188	Sachin V. Tade	Male	43	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
71	1305	Salman I. Bairagdar	Male	34	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
72	1412	Rohit G. Pagade	Male	32	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
73	399	Khanderao Murlidhar Kamble	Male	47	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
74	446	Gajanan M. Latawade	Male	44	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
75	551	Rama A. Zende	Male	45	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
76	796	Hirasingh B. Rajput	Male	49	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
77	871	Ganesh R. Gore	Male	40	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
78	935	Amol R. Mane Gavade	Male	39	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
79	991	Vishal A. Choudhari	Male	35	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
80	119	Shankar S. Shinde	Male	46	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
81	837	Babaso Z. Inamdar	Male	54	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
82	883	Sandip S. Magdum	Male	43	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
83	13011	Arjun D. Dhumale	Male	32	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
84	604	Vilas R. Jagtap	Male	53	CMD	NA	NA			06-01-26	FIT	NA	NA	NA	
85	22	Anand R. Yadav	Male	49	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
86	855	Veerpaksh J. Futane	Male	45	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
87	1081	Balasaheb V. Bandgar	Male	40	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
88	1192	Rajaram L. Jagtap	Male	47	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
89	1193	Shivanand S. Hospt	Male	43	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
90	939	Tushar T. Nikam	Male	39	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
91	943	Ashok A. Shinde	Male	39	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
92	1182	Vijay M. Mali	Male	56	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
93	1318	Mahaveer B. Kattikar	Male	38	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
94	1364	Pravin J. Garud	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
95	1370	Ranjit S. Patil	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
96	1372	Aniket A. Sardesai	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
97	1375	Mahesh Mali	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
98	1383	Pratik P. Patil	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
99	1389	Shivprasad V. Khanvilkar	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
100	1390	Satish D. Nimbalkar	Male	46	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
101	1392	Pruthaviraj H. Jadhav	Male	35	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
102	1394	Yogesh Sadashiv Powar	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
103	1395	Rahul A. Patil	Male	26	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
104	1414	Tukaram M. Pakare	Male	53	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
105	1419	Ajit Tanaji Salonkhe	Male	38	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
106	1422	Suraj A. Patil	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
107	11	Dnyandev M. Khot	Male	46	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
108	52	Shital A. Alate	Male	47	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
109	184	Sunil G. Rajput	Male	42	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
110	628	Balasaheb D. Alagouda	Male	51	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
111	849	Dilip A. Korbu	Male	54	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
112	864	Vijay Subhash Kumbhojkar	Male	47	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
113	1249	Sunil G. Rajmane	Male	54	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
114	1273	Pavan Kumar J. Ankale	Male	45	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
115	1325	Raju V. Bailurkar	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
116	1326	Prashant R. Patil	Male	43	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
117	1330	Sarjerao S. Patil	Male	51	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
118	1353	Nilambar D. Patil	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
119	1363	Shivanand S. Gadad	Male	37	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
120	1416	Swapnil M. Patil	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
121	3129	Sachin R. Hingangave	Male	36	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
122	1170	Unis M. Khurche	Male	42	Guest House	NA	NA			06-01-26	FIT	NA	NA	NA	
123	92	Ravindra S. Kumbhar	Male	41	HR	NA	NA			06-01-26	FIT	NA	NA	NA	
124	1113	Amol Yashwant Patil	Male	40	HR	NA	NA			05-01-26	FIT	NA	NA	NA	
125	13010	Akshay N. Patil	Male	31	Marketing	NA	NA			06-01-26	FIT	NA	NA	NA	
126	348	Shivaji R. Jadhav	Male	48	Operator	NA	NA			06-01-26	FIT	NA	NA	NA	
127	601	Madan S. Vasamkar	Male	48	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
128	602	Vijay Kumar R. Nirmale	Male	48	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
129	1117	Dayanand K. Patil	Male	47	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
130	300	Yelgounda S. Patil	Male	47	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
131	811	Dhanaji S. Nimbalkar	Male	50	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
132	812	Bahubali B. Khothali	Male	41	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
133	907	Appaso B. Gouraj	Male	49	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
134	944	Amol R. Hujare	Male	40	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
135	981	Rahul B. Desai	Male	39	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
136	1000	Hajilal M. Nagaraji	Male	46	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
137	1186	Prakash A. Patil	Male	43	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
138	1197	Sudhakar R. Deshmukh	Male	50	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
139	1309	Vijay Singh A. Bhosale	Male	46	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
140	1362	Sandip R. Patil	Male	39	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
141	85	Raju B. Patil	Male	49	Purchase	NA	NA			06-01-26	FIT	NA	NA	NA	
142	95	Mohan S. Vasamkar	Male	50	Purchase	NA	NA			06-01-26	FIT	NA	NA	NA	
143	1351	Azharuddin J. Kazi	Male	38	Safety	NA	NA			05-01-26	FIT	NA	NA	NA	
144	5211	Swapan V. Nivamale	Male	40	Sanitation	NA	NA			06-01-26	FIT	NA	NA	NA	
145	886	Ananda J. Shinde	Male	54	Security	NA	NA			06-01-26	FIT	NA	NA	NA	
146	1350	Shamrao Nana Patil	Male	60	Security	NA	NA			06-01-26	FIT	NA	NA	NA	
147	1104	Ballasaheb V. Gaikwad	Male	40	Send	NA	NA			06-01-26	FIT	NA	NA	NA	
148	717	Malhar G. Jadhav	Male	51	Store	NA	NA			05-01-26	FIT	NA	NA	NA	
149	1092	Shantinath B. Khurpe	Male	48	Store	NA	NA			05-01-26	FIT	NA	NA	NA	
150	1114	Umesh P. Gaikwad	Male	45	Store	NA	NA			06-01-26	FIT	NA	NA	NA	
151	69	Suresh D. Bhadmare	Male	46	Sugar Godown	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
152	96	Chandrakant Patil	Male	51	Sugar Godown	NA	NA			05-01-26	**FIT**	NA	NA	NA	
153	746	Tukaram B. Patil	Male	48	Sugar Godown	NA	NA			06-01-26	**FIT**	NA	NA	NA	
154	938	Prakash T. Ghatge	Male	44	Sugar Godown	NA	NA			05-01-26	**FIT**	NA	NA	NA	
155	1135	Sandip S. Patil	Male	39	Sugar Godown	NA	NA			06-01-26	**FIT**	NA	NA	NA	
156	87	Chandrakant D. Patil	Male	53	Time Office	NA	NA			06-01-26	**FIT**	NA	NA	NA	
157	285	Vijay R. Dakare	Male	58	Time Office	NA	NA			05-01-26	**FIT**	NA	NA	NA	
158	1153	Pravin S. Patil	Male	39	Time Office	NA	NA			05-01-26	**FIT**	NA	NA	NA	
159	1190	Somnath M. Kumbhar	Male	43	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	
160	1196	Netaji N. Chavan	Male	47	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
161	1255	Shridhar A. Sutar	Male	46	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Promotech **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	11012	Satish N. Patil	Male	42	Admin	NA	NA			06-01-26	FIT	NA	NA	NA	
2	11069	Pravin R. Jadhav	Male	33	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
3	11100	Amol S. Kachare	Male	46	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
4	11018	Amol Singh M. Rajput	Male	34	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
5	11022	Faruk M. Mokashi	Male	38	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
6	11033	Ganesh V. Khot	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
7	11056	Amol S. Patil	Male	29	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
8	11080	Apangounda B. Patil	Male	27	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
9	11081	Sourabh R. Nandane	Male	27	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
10	11097	Shivshant S. Waghmare	Male	31	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
11	11101	Ganesh S. Patil	Male	30	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
12	11107	Shreyavansh B. Girmal	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
13	11021	Adinath M. Nirmale	Male	28	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
14	11048	Pravin R. Dattwade	Male	26	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
15	11118	Dyaneshwar D. Chavan	Male	29	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
16	11119	Sunil H. Arbale	Male	30	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
17	11120	Vinod P. Heddure	Male	35	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
18	11121	Santosh M. Hirekodi	Male	35	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
19	11134	Mahantesh A. Satwar	Male	29	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
20	11141	Abhinandan R. Magdum	Male	27	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
21	11059	Umesh M. Karale	Male	38	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
22	11062	Prasad A. Kumbhar	Male	39	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
23	11065	Sunil S. Sajane	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
24	11066	Raghavendra D. Shamannavar	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
25	11067	Arjun S. Pujari	Male	30	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
26	11074	Daryappa G. Mane	Male	28	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
27	11091	Akshay Kumar S. Gaikwad	Male	30	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
28	11104	Ketan B. Patil	Male	30	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
29	11123	Amol M. Benurkar	Male	35	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
30	11124	Sudhi R. Kashid	Male	34	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Promotech **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
31	11140	Suraj B. Gaikwad	Male	24	Engineering	NA	NA			06-01-26	**FIT**	NA	NA	NA	
32	11142	Parshuram S. Shinde	Male	35	Engineering	NA	NA			06-01-26	**FIT**	NA	NA	NA	
33	11145	Harshawardhan J. Shinde	Male	22	Engineering	NA	NA			06-01-26	**FIT**	NA	NA	NA	
34	11068	Kiran S. Manbeshi	Male	36	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
35	11073	Pravin S. Thakur	Male	38	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
36	11079	Sunil P. Mhaishale	Male	38	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Nirmaljyot **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	16012	Anil G. Patil	Male	39	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
2	16013	Ramesh B. Jadhav	Male	46	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
3	16014	Pradip R. Ghunake	Male	31	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
4	16015	Vinayak K. Ghatage	Male	40	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
5	16016	Vishal G. Dalavi	Male	36	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
6	16017	Atul S. Thudmunge	Male	30	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
7	16019	Vinod B. Sokande	Male	33	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
8	16020	Pandurang R. Dhangar	Male	45	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
9	16028	Ketan S. Patil	Male	36	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
10	16042	Dipak S. Katkar	Male	38	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
11	16044	Satish N. Gaikwad	Male	32	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
12	16045	Nikhil P. Patil	Male	31	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
13	16047	Sachin B. Ghatage	Male	41	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
14	16050	Pavan S. Kekale	Male	36	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
15	16055	Amar A. Karale	Male	37	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
16	16066	Praful P. Walake	Male	33	Agriculture	NA	NA			07-01-26	FIT	NA	NA	NA	
17	16027	Vaibhav B. Edake	Male	31	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
18	16060	Rakesh T. Gawade	Male	26	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
19	16061	Santosh T. Koli	Male	30	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
20	16035	Shreemant B. Latkar	Male	35	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
21	16064	Prajyot M. Ingale	Male	36	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
22	16068	Omkar G. Gore	Male	28	Cleark	NA	NA			07-01-26	FIT	NA	NA	NA	
23	16022	Dadaso B. Bhamane	Male	32	Cogen	NA	NA			07-01-26	FIT	NA	NA	NA	
24	16029	Azarkhan S. Hakim	Male	42	Driver	NA	NA			07-01-26	FIT	NA	NA	NA	
25	16056	Manoj Banadu Mali	Male	34	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
26	16057	Chandrakant S. Mane	Male	33	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
27	16036	Santosh V. Kumbhar	Male	36	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
28	16039	Sachin V. Kumbhar	Male	40	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
29	16041	Appaso P. Narute	Male	40	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
30	16063	Abhishek V. Badane	Male	27	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Nirmaljyot **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
31	16067	Vidyasagar B. Chavan	Male	31	Engineering	NA	NA			07-01-26	**FIT**	NA	NA	NA	
32	16070	Shubham Sunil Patil	Male	27	Engineering	NA	NA			07-01-26	**FIT**	NA	NA	NA	
33	16071	Shivraj R. Koli	Male	27	Engineering	NA	NA			07-01-26	**FIT**	NA	NA	NA	
34	16004	Gorakha R. Nirande	Male	34	ETP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
35	16079	Prakash S. Vadar	Male	41	ETP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
36	16049	Umaji V. Sadakale	Male	38	Marketing	NA	NA			07-01-26	**FIT**	NA	NA	NA	
37	16024	Amol R. Kamble	Male	37	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
38	16037	Rahul T. Kumbhar	Male	33	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
39	16059	Shiddheshwar R. Gote	Male	43	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
40	16062	Ramchandra A. Vankore	Male	34	Sanitation	NA	NA			07-01-26	**FIT**	NA	NA	NA	
41	16065	Sourdh S. Koli	Male	27	Sanitation	NA	NA			07-01-26	**FIT**	NA	NA	NA	
42	16002	Amin D. Mulla	Male	31	Store	NA	NA			07-01-26	**FIT**	NA	NA	NA	
43	16008	Appaso D. Khot	Male	37	Store	NA	NA			07-01-26	**FIT**	NA	NA	NA	
44	16005	Pravin P. Kamble	Male	31	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
45	16007	Mahesh G. Kamble	Male	34	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
46	16009	Babas A. Kumbhar	Male	33	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
47	16026	Rohit M. Patil	Male	28	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
48	16032	Balaso L. Kamble	Male	29	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
49	16033	Shubham M. Patil	Male	26	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
50	16048	Sushant P. Kosti	Male	30	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
51	16054	Macchindranath A. Davari	Male	54	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
52	16084	Rohan T. Jadhav	Male	23	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

D.S.D. Security **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	14001	Sham S. Patil	Male	44	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
2	14004	Eknath S. Jadhav	Male	32	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
3	14007	Yogesh S. Dharmate	Male	29	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
4	14010	Pramod Yashwant Kadam	Male	46	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
5	14014	Shubham N. Gaikwad	Male	28	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
6	14015	Pravin R. Sabale	Male	30	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
7	14016	Prakash R. Repe	Male	42	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
8	14017	Prakash A. Gaikwad	Male	30	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
9	14018	Avdhut S. Jagtap	Male	53	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
10	14023	Shivram E. Kamble	Male	42	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
11	14026	Sanjay Sakharam Patil	Male	51	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
12	14028	Swapnil Babu Mohite	Male	28	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
14	14032	Asif K. Mulla	Male	25	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
15	14033	Shivaji Ganpati Patil	Male	47	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
16	14034	Gorakhanath Nivruti Patil	Male	34	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
17	14038	Dipak S. Kadam	Male	19	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
18	14040	Pravin S. Patil	Male	35	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
19	14041	Shashikant R. Wajamkar	Male	45	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
20	14042	Akash B. Gaikwad	Male	31	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
21	14044	Gopi R. Kamble	Male	25	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
22		Firoj A. Jamadar	Male	52	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
23		Omkar G. Kumbhar	Male	21	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
24		Nanaso B. Khokate	Male	49	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
25		Pravin A. Jagtap	Male	25	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	
26		Kishor S. Kamble	Male	27	Security	NA	NA			07-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	15134	Moksh M. Jakate	Male	25	-	NA	NA			07-01-26	FIT	NA	NA	NA	
2	15055	Altaf M. Tashildar	Male	25	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
3	15087	Yogandar Y. Shinde	Male	29	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
4	15233	Prakash B. Kamble	Male	26	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
5	15145	Vahid B. Kurade	Male	22	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
6	15146	Vishal S. Bhandere	Male	23	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
7	15244	Rahul B. Badame	Male	33	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
8	15268	Ranjit R. Ghatage	Male	22	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
9	15196	Adarsh Y. Patil	Male	26	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
10	15267	Mahadev S. Pujari	Male	49	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
11	15259	Suraj S. Sidnale	Male	26	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
12	15026	Sanket C. Kamble	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
13	15028	Dattatray R. Patil	Male	48	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
14	15038	Mahesh B. Badame	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
15	15050	Sarthak S. Koli	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
16	15079	Kiran S. Kamble	Male	25	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
17	15125	Sourabh S. Chavan	Male	25	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
18	15126	Prajat S. Malikwade	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
19	15127	Mdhesh B. Londhe	Male	28	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
20	15128	Pramod S. Dalvali	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
21	15128	Vishal S. Koli	Male	27	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
22	15129	Krushnath M. Patil	Male	29	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
23	15151	Prithviraj S. Gore	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
24	15160	Sudharshan P. Murgunde	Male	23	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
25	15166	Aakash S. Vadur	Male	24	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
26	15169	Swapnil G. Kamble	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
27	15195	Akash P. Tonpe	Male	23	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
28	15219	Akshay Digambar Satpute	Male	29	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
29	15223	Kumar S. Biranage	Male	23	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
30	15228	Krushna R. Patil	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
31	15229	Yash G. Patil	Male	22	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
32	15235	Omkar S. Tanawade	Male	21	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
33	15239	Shivtej V. Patil	Male	22	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
34	15248	Ravsaheb J. Chougule	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
35	15264	Sarvjeet S. Topkar	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
36	15150	Anil R. Patil	Male	48	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
37	15226	Shrinath Vasant Pujari	Male	22	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
38	15245	Somnath Y. Mane	Male	21	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
39	15247	Pramod T. Kumbhar	Male	25	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
40		Pranav S. Budkar	Male	20	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
41	0	Pratik Prakash Khot	Male	21	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
42	15099	Rakesh Dattatry Koli	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
43	15116	Ramdas A. Vasmkar	Male	25	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
44	15187	Gurudatta S. Koli	Male	25	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
45	15204	Raj A. Patil	Male	32	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
46	15207	Chandan N. Sahani	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
47	15208	Shambhu S. Singh	Male	45	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
48	15209	Satyanand V. Gupta	Male	24	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
49	15210	Faiyaj S. Mulla	Male	26	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
50	15211	Sammed R. Vathare	Male	23	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
51	15260	Pravin L. Patil	Male	25	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
52	0	Aniket A. Birange	Male	21	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
53	0	Shrenik B. Patil	Male	20	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
54	0	Raj Singh K. Rajput	Male	23	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
55	0	Avdhut D. Patil	Male	30	Fertilizer	NA	NA			07-01-26	FIT	NA	NA	NA	
56	15041	Nikhil H. Patil	Male	24	Guest House	NA	NA			07-01-26	FIT	NA	NA	NA	
57	15274	Avdhut B. Benale	Male	26	Guest House	NA	NA			07-01-26	FIT	NA	NA	NA	
58	15272	Harshawardh V. Kamble	Male	19	Helper	NA	NA			07-01-26	FIT	NA	NA	NA	
59	15265	Harish Ramesh Patil	Male	23	Lab	NA	NA			06-01-26	FIT	NA	NA	NA	
60	15090	Pradip A. Naik	Male	27	Production	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
61	15093	Chidanand A. Kardage	Male	38	Production	NA	NA			06-01-26	**FIT**	NA	NA	NA	
62	15096	Vitthal R. Gavade	Male	28	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
63	15110	Suraj S. Badame	Male	27	Production	NA	NA			06-01-26	**FIT**	NA	NA	NA	
64	15132	Babu A. Korali	Male	21	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
65	15135	Harshad V. Vagare	Male	24	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
66	15189	Akshay Kumar V. Patil	Male	28	Production	NA	NA			07-01-26	**FIT**	NA	NA	NA	
67	15225	Abhishek V. Godhade	Male	24	Purchase	NA	NA			07-01-26	**FIT**	NA	NA	NA	
68	15214	Vinod A. Bhirde	Male	46	Safety	NA	NA			07-01-26	**FIT**	NA	NA	NA	
69	15058	Shoukat Naikwade	Male	50	Sanitation	NA	NA			07-01-26	**FIT**	NA	NA	NA	
70	15164	Shankar D. Killedar	Male	27	Sanitation	NA	NA			07-01-26	**FIT**	NA	NA	NA	
71	15270	Sudesh S. Kokane	Male	21	Store	NA	NA			07-01-26	**FIT**	NA	NA	NA	
72	15206	Omkar V. Patil	Male	25	Sugar	NA	NA			07-01-26	**FIT**	NA	NA	NA	
73	15271	Bramhanath D. Chougule	Male	28	Sugar Lab	NA	NA			07-01-26	**FIT**	NA	NA	NA	
74	15170	Ramchandra B. Nandikarle	Male	42	Time Office	NA	NA			07-01-26	**FIT**	NA	NA	NA	
75	15044	Ashitosh S. Powar	Male	25	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
76	15045	Basgounda C. Patil	Male	29	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
77	15097	Mahesh S. Vankundre	Male	36	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
78	15108	Prathamesh V. Katkar	Male	29	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
79	15114	Akshay D. Magdum	Male	26	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
80	15202	Umesh B. Bavdekar	Male	31	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
81	15266	Sushant S. Gandhar	Male	25	WTP	NA	NA			07-01-26	**FIT**	NA	NA	NA	
82	-	Kishan P. Kamble	Male	26	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
83	-	Popat Kantu Koli	Male	22	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	
84	0	Pradip R. Akkiwate	Male	25	WTP	NA	NA			06-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	554	Prashant V. Patil	Male	47	-	NA	NA			05-01-26	FIT	NA	NA	NA	
2	555	Shital K. Chougule	Male	46	-	NA	NA			05-01-26	FIT	NA	NA	NA	
3	1294	Girdhar B. Sahastrpuddhe	Male	58	-	NA	NA			03-01-26	FIT	NA	NA	NA	
4	15224	Sumit B. Khot	Male	23	-	NA	NA			03-01-26	FIT	NA	NA	NA	
5	640	Chandrakant K. Parit	Male	45	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
6	1047	Appaso S. Magdum	Male	45	Bio	NA	NA			05-01-26	FIT	NA	NA	NA	
7	1050	Santosh L. Teli	Male	34	Bio	NA	NA			05-01-26	FIT	NA	NA	NA	
8	1123	Madar A. Nadaf	Male	51	Bio	NA	NA			03-01-26	FIT	NA	NA	NA	
9	1051	Shrikant P. Birange	Male	40	Boiler	NA	NA			03-01-26	FIT	NA	NA	NA	
10	395	Subhash S. Pimpale	Male	43	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
11	400	Ishwara R. Khot	Male	55	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
12	403	Vinod A. Patil	Male	42	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
13	404	Hanmant A. Patil	Male	52	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
14	549	Milind M. Malekari	Male	47	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
15	577	Prakash K. Latwade	Male	48	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
16	578	Sanjay S. Bhosale	Male	45	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
17	579	Uday S. Patil	Male	40	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
18	581	Vinod S. Patil	Male	47	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
19	583	Sanjay M. Kamble	Male	52	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
20	586	Sanjay G. Patil	Male	48	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
21	706	Babubai S. Latte	Male	38	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
22	708	Sanjay V. Vadar	Male	48	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
23	800	Rajendra B. Gawade	Male	40	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
24	873	Ajit A. Patil	Male	41	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
25	993	Sagar D. Pirkane	Male	39	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
26	1143	Tatyaso D. Mane	Male	38	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
27	1151	Uttam L. Karnale	Male	32	Caneyard	NA	NA			03-01-26	FIT	NA	NA	NA	
28	1341	Vasant B. Latkar	Male	53	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
29	881	Prakash S. Patil	Male	53	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
30	882	Jingounda B. Patil	Male	48	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
31	1033	Bajirao I. Shedbale	Male	56	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
32	1035	Netaji H. Khot	Male	47	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
33	1052	Sandip D. Sutar	Male	38	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
34	1091	Bajarang I. Koli	Male	44	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
35	1094	Annaso R. Danole	Male	43	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
36	1096	Raju A. Gawade	Male	41	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
37	1097	Chandrakant A. Koli	Male	41	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
38	1098	Nitin B. Koli	Male	43	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
39	1107	Kumar A. Sutar	Male	43	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
40	1108	Vasant B. Powar	Male	51	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
41	1115	Bandu N. Shinde	Male	42	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
42	1130	Kapil R. Danwade	Male	38	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
43	1139	Suresh N. Wadar	Male	53	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
44	1142	Nitin A. Nalwade	Male	44	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
45	1217	Dasharth V. Vaddar	Male	45	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
46	1263	Sunil A. Ghewade	Male	44	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
47	1297	Babu A. Chavan	Male	40	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
48	5209	Santosh P. Koli	Male	43	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
49	5214	Mangesh V. Patil	Male	39	Civil	NA	NA			03-01-26	FIT	NA	NA	NA	
50	20	Prakash R. Birajdar	Male	44	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
51	21	Madhavrao R. Shinde	Male	56	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
52	155	Akash G. Magdum	Male	51	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
53	163	Amol A. Chougule	Male	46	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
54	164	Ananda S. Biroje	Male	48	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
55	165	Chandrakant D. Mali	Male	40	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
56	168	Mahadev J. Patil	Male	59	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
57	459	Madhukar B. Mali	Male	54	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
58	533	Tejanan B. Desai	Male	42	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
59	594	Hemant Kumar S. Pol	Male	42	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
60	636	Rajkumar J. Mane	Male	51	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
61	670	Ananda M. Niramale	Male	58	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
62	671	Ramgounda P. Patil	Male	42	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
63	682	Kishor T. Powar	Male	49	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
64	685	Ranjit G. Yadav	Male	45	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
65	785	Sharad M. Ingale	Male	46	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
66	854	Popat K. Salonkhe	Male	50	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
67	1045	Ramesh K. Kamble	Male	39	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
68	1069	Shivaji D. Powar	Male	53	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
69	1095	Babaso B. Mhaishale	Male	41	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
70	1099	Maruti P. Bhatmare	Male	43	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
71	1100	Zahkir M. Kudche	Male	42	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
72	1104	Sadashiv R. Gavandi	Male	53	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
73	1111	Suresh S. Adarshe	Male	42	Cogen	NA	NA			07-01-26	FIT	NA	NA	NA	
74	1141	Ganesh B. Ingale	Male	39	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
75	1144	Sunil Kumar Soundatte	Male	41	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
76	1158	Digvijay M. Kamble	Male	43	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
77	1160	Mahantesh V. Uamrani	Male	43	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
78	1168	Krishnaji P. Mallewade	Male	37	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
79	1172	Santosh S. Nayayi	Male	42	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
80	1200	Vidyanand A. Bhoje	Male	46	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
81	1201	Prashant M. Shinde	Male	41	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
82	1205	Amol T. Mahadik	Male	37	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
83	1214	Amin S. Mulla	Male	43	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
84	1252	Rahul B. Jigare	Male	32	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
85	1253	Vinod S. Kumbhar	Male	36	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
86	1266	Satappa R. Chavan	Male	36	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
87	1338	Hanmant B. Patil	Male	46	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
88	1408	Pramod C. Kadam	Male	45	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
89	1411	Suresh Miraje	Male	56	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
90	5115	Sagar V. Yadav	Male	38	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
91	5194	Bacharam K. Patil	Male	45	Cogen	NA	NA			03-01-26	FIT	NA	NA	NA	
92	649	Dipak B. Shinde	Male	43	Culture	NA	NA			03-01-26	FIT	NA	NA	NA	
93	793	Vijay B. Patil	Male	43	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
94	1365	Adesh V. Gundale	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
95	1368	Tejas Prakash Patil	Male	30	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
96	1369	Mahesh B. Kuttekar	Male	32	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
97	1373	Suraj S. Kadam	Male	29	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
98	1376	Sagar P. Patil	Male	32	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
99	1377	Meerab J. Beig	Male	28	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
100	1384	Datta R. Dhond	Male	25	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
101	1385	Sourabh S. Gaikude	Male	26	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
102	1393	Sourabh M. Kakade	Male	29	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
103	1418	Prasad A. Patil	Male	27	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
104	1420	Raghunath D. Chavan	Male	34	Distillery	NA	NA			03-01-26	FIT	NA	NA	NA	
105	439	Anant S. Puttankude	Male	50	Electrician	NA	NA			05-01-26	FIT	NA	NA	NA	
106	673	Dipak D. Mane	Male	56	Electrician	NA	NA			05-01-26	FIT	NA	NA	NA	
107	783	Anant S. Rasankar	Male	55	Electrician	NA	NA			03-01-26	FIT	NA	NA	NA	
108	1060	Dipak N. Sangpal	Male	39	Electrician	NA	NA			03-01-26	FIT	NA	NA	NA	
109	1194	Rupesh Mallari Sakhale	Male	38	Electrician	NA	NA			05-01-26	FIT	NA	NA	NA	
110	19	Basavraj C. Swami	Male	49	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
111	28	Maruti T. Ugale	Male	57	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
112	29	Ajit L. Shinde	Male	58	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
113	43	Chandrakant G. Ravalukedani	Male	54	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
114	45	Ani M. Jadhav	Male	53	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
115	50	Ramesh Rajaram Powar	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
116	51	Suresh K. Ambi	Male	51	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
117	54	Bahubali M. Kane	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
118	142	Hariba M. Hawaldar	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
119	143	Ananda S. Magdum	Male	46	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
120	144	Bajirao V. Ghorpade	Male	52	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
121	146	Satgounda R. Patil	Male	53	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
122	170	Suryakant A. Bhende	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
123	174	Lakesh S. Eksambe	Male	43	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
124	175	Yallappa D. Koli	Male	53	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
125	176	Krishnath T. Sant	Male	49	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
126	178	Bandu B. Koli	Male	41	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
127	179	Sarjerao A. Koli	Male	44	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
128	183	Ballaso A. Mulla	Male	46	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
129	185	Sambhaji R. Jadhav	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
130	187	Pandurang D. Tambire	Male	52	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
131	188	Ananda A. Hawaldar	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
132	192	Sham S. Shinde	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
133	197	Sunil S. Kodale	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
134	199	Uday A. Barwade	Male	48	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
135	202	Rajendra A. Shinde	Male	45	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
136	205	Kiran Raghunath Mangsale	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
137	206	Sagar S. Hasure	Male	50	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
138	213	Bhaskar S. Kamble	Male	55	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
139	215	Sanjay A. Bubnale	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
140	217	Bhausaheb R. Chopade	Male	46	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
141	218	Siddharam G. Gavandi	Male	52	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
142	229	Parmeshwar R. Yadav	Male	56	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
143	296	Pradip S. Sawant	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
144	313	Sudesh N. Magdum	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
145	317	Uday Kumar D. Mahind	Male	50	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
146	318	Rajgounda P. Patil	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
147	319	Pandurang R. Nandiwale	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
148	320	Balaso B. Magdum	Male	49	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
149	321	Ashok K. Wante	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
150	440	Subhash D. Katkar	Male	49	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
151	453	Sanjay T. Thorvat	Male	54	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
152	460	Shankar R. Baigwde	Male	49	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
153	470	Vishal G. Ghatage	Male	40	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
154	543	Pundalik K. Jadhav	Male	57	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
155	545	Shubhash K. Mane	Male	53	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
156	553	Umesh S. Mithare	Male	50	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
157	560	Babaso D. Patil	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
158	560	Santosh A. Awate	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
159	576	Nazim D. Inamdar	Male	60	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
160	595	Anil S. Mane	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
161	603	Hemant B. Kasarkar	Male	44	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
162	668	Bajirao S. Tikode	Male	60	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
163	733	Shamarao S. Shedbule	Male	50	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
164	736	Madhusudan M. Morade	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
165	750	Sukumar S. Bhale	Male	51	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
166	759	Amgonda B. Patil	Male	44	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
167	760	Vinod D. Kamble	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
168	763	Mahipal T. Gavali	Male	59	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
169	773	Mehul C. Lugade	Male	40	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
170	774	Uttam V. Patil	Male	52	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
171	782	Shivaji G. Patil	Male	51	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
172	784	Sanjay M. Magdum	Male	44	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
173	844	Pravin B. Nuruke	Male	39	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
174	850	Ravindra B. Sutar	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
175	851	Jitendra Y. Kamble	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
176	865	Sandeep S. Sajane	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
177	908	Sachin B. Chikhale	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
178	1017	Chetansing M. Mane	Male	35	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
179	1020	Amar K. Giribuwa	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
180	1023	Rajendra S. Jadhav	Male	32	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
181	1032	Gorkhnath P. Nirame	Male	44	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
182	1036	Nana S. Kamble	Male	54	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
183	1041	Sandip R. Khot	Male	35	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
184	1046	Sunil S. Nirmale	Male	38	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
185	1048	Ananda S. Kumbhar	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
186	1063	Vaibhav S. Patil	Male	36	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
187	1066	Shivaji R. Koli	Male	45	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
188	1068	Prakash S. Badanikai	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
189	1070	Vaibhav N. Chandoba	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
190	1087	Vinayak Y. Kumbhar	Male	36	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
191	1088	Nitin S. Shinde	Male	38	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
192	1090	Rahul A. Gore	Male	40	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
193	1102	Santosh M. Bawadekar	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
194	1103	Santosh N. Sawant	Male	39	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
195	1109	Vijay R. Chavan	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
196	1110	Jatoba A. Hingmire	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
197	1112	Sachin S. Shinde	Male	40	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
198	1116	Ashok B. Powar	Male	53	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
199	1118	Suresh N. Masake	Male	48	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
200	1119	Sagar S. Parit	Male	43	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
201	1120	Tukaram P. Patil	Male	51	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
202	1121	Shivaji S. Magdum	Male	30	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
203	1125	Manoj A. Mane	Male	40	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
204	1126	Suresh B. Powar	Male	40	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
205	1127	Balaso L. Khombare	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
206	1128	Chandrakant S. Lohar	Male	49	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
207	1129	Prabhakar B. Koli	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
208	1131	Ningappa K. Bandagar	Male	44	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
209	1133	Dhondiram S. Mane	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
210	1137	Shivputra A. Koli	Male	46	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
211	1138	Amit B. Patil	Male	44	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
212	1140	Rajkumar V. Bage	Male	48	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
213	1146	Santosh P. Sasane	Male	38	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
214	1155	Amol R. Latte	Male	38	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
215	1156	Santosh S. Hingmire	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
216	1157	Sagar S. Jugale	Male	38	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
217	1164	Sameer T. Naslapure	Male	39	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
218	1176	Amol Annaso Nirmal	Male	39	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
219	1220	Sandip T. Mane	Male	40	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
220	1225	Ramesh B. Kadam	Male	42	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
221	1229	Omkar A. Pimple	Male	35	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
222	1264	Vinod A. Ghatage	Male	34	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
223	1303	Gajanan M. Bhutale	Male	39	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
224	1307	Sandip B. Kharat	Male	37	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
225	1311	Dipak Vasantrao Mangale	Male	47	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
226	1333	Prakash B. Malekari	Male	59	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
227	1334	Deepak R. Kamble	Male	38	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
228	1345	Krushndev K. Mane	Male	45	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
229	1396	Uday A. Patil	Male	35	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
230	1398	Vilas D. Gaikwad	Male	49	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
231	1403	Vishwas L. Zanje	Male	36	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
232	1417	Shireshal B. Jambagi	Male	38	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
233	5094	Sachin Ashok Khot	Male	41	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
234	5097	Rajan S. Walave	Male	45	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
235	5117	Shamrao R. Miraje	Male	40	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
236	5165	Sagar D. Khot	Male	36	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
237	5194	Umesh A. Patil	Male	36	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
238	5199	Neminath A. Kote	Male	41	Engineering	NA	NA			03-01-26	FIT	NA	NA	NA	
239	5218	Avinash S. Sasane	Male	32	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
240	1231	Suresh K. Kallyani	Male	47	Godan	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
241	1399	Lala P. Patil	Male	54	Godan	NA	NA			03-01-26	FIT	NA	NA	NA	
242	830	Babaso M. Edake	Male	54	Guest House	NA	NA			03-01-26	FIT	NA	NA	NA	
243	1171	Vitthal A. Gavade	Male	43	Guest House	NA	NA			03-01-26	FIT	NA	NA	NA	
244	1216	Salona A. Sandi	Female	52	H.K.	NA	NA			03-01-26	FIT	NA	NA	NA	
245	425	Rajendra S. Ghadge	Male	46	Manufacturing	NA	NA			03-01-26	FIT	NA	NA	NA	
246	97	Chandev N. Jasud	Male	52	Operator	NA	NA			05-01-26	FIT	NA	NA	NA	
247	1132	Santosh B. Gore	Male	39	Petrol Pump	NA	NA			03-01-26	FIT	NA	NA	NA	
248	1136	Amar Ramchandra Jagdale	Male	46	Petrol Pump	NA	NA			03-01-26	FIT	NA	NA	NA	
249	64	Balaso P. Mangale	Male	54	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
250	241	Bhupal V. Balale	Male	50	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
251	244	Suresh M. Naikwade	Male	50	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
252	252	Kumar M. Sutar	Male	50	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
253	257	Humant L. Patil	Male	46	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
254	261	Sunil A. Nimbalkar	Male	46	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
255	264	Rafik B. Patel	Male	42	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
256	270	Arjun K. Suryawanshi	Male	43	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
257	428	Pritam M. Mardane	Male	50	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
258	558	Nilesh M. Jadhav	Male	45	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
259	587	Suresh M. Ugare	Male	52	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
260	598	Dhanaanjay V. Thoravat	Male	45	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
261	688	Laxman V. Badigar	Male	44	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
262	689	Shripati N. Jolte	Male	53	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
263	857	Mirasaheb S. Shendure	Male	42	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
264	858	Kumar S. Mane	Male	48	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
265	859	Swapnil A. Kamble	Male	35	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
266	933	Santosh Ashok Patil	Male	42	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
267	940	Sandip M. Gaikwad	Male	40	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
268	941	Bajirao S. Bhale	Male	43	Production	NA	NA			03-01-26	FIT	NA	NA	NA	
269	942	Satish D. Warwade	Male	40	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
270	985	Farukh S. Danwade	Male	36	Production	NA	NA			03-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
271	1004	Shamgounda N. Aalte	Male	50	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
272	1005	Jotiba R. Akkole	Male	44	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
273	1030	Dasharad T. Koli	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
274	1038	Yogesh K. Kamble	Male	41	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
275	1039	Kiran S. Chigare	Male	50	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
276	1040	Mahavir A. Birange	Male	50	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
277	1054	Ranjit R. Patil	Male	50	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
278	1071	Subhash R. Jadhav	Male	52	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
279	1084	Vitthal G. Nirame	Male	41	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
280	1086	Gopichand J. Bhandare	Male	35	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
281	1165	Santosh K. Kamble	Male	45	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
282	1166	Ramesh S. Mathapati	Male	50	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
283	1209	Ajit S. Wasankar	Male	45	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
284	1210	Anil V. Herwade	Male	44	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
285	1212	Suresh S. Kamble	Male	48	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
286	1226	Suryekant N. Sankpal	Male	45	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
287	1227	Dattatray N. Magdum	Male	40	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
288	1228	Rajendra B. Kagale	Male	48	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
289	1237	Sanjay J. Shinde	Male	48	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
290	1244	Gajanan M. Sawant	Male	40	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
291	1256	Rahul S. Badame	Male	33	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
292	1258	Sanjay M. Awati	Male	50	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
293	1259	Suraj J. Mugale	Male	42	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
294	1267	Digambar A. Kudache	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
295	1298	Shreeshal M. Ambi	Male	43	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
296	1301	Sachin S. Patil	Male	36	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
297	1302	Sudhir M. Patole	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
298	1310	Mahadev D. Hanaware	Male	47	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
299	1323	Ashok D. Jadhav	Male	33	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
300	1324	Shobit R. Ghastobi	Male	37	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
301	1335	Maruti D. Kattikar	Male	43	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
302	1336	Sunil K. Pattekari	Male	46	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
303	1340	Arit D. Danwade	Male	40	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
304	1357	Suresh K. Desai	Male	41	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
305	1360	Sambhaji Kashiram Kale	Male	49	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
306	1361	Jitendra V. Kurale	Male	35	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
307	1397	Ramchandra R. Ambi	Male	42	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
308	1400	Shivaji G. Jakale	Male	46	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
309	1401	Indrajit R. Sakpal	Male	38	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
310	1402	Ananda Y. Patil	Male	41	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
311	1405	Sayyad Ali J. Makandar	Male	45	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
312	1406	Raju G. Nimbalkar	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
313	1409	Rafik N. Jamdar	Male	34	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
314	1410	Sunil D. Koli	Male	35	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
315	5084	Suresh M. Kurane	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
316	5102	Arit R. Desai	Male	31	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
317	5123	Ajit B. Mhaishale	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
318	5129	Pramod B. Khot	Male	37	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
319	5134	Maruti B. Bhadule	Male	53	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
320	5135	Shrimant S. Kamble	Male	39	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
321	5150	Dadaso B. Kagale	Male	46	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
322	5154	Sagar M. Lolsure	Male	40	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
323	5155	Rajendra Kumar S. Nirmale	Male	31	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
324	5158	Balaso K. Sangpul	Male	41	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
325	5160	Shankar R. Kharpi	Male	46	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
326	5168	Avinash S. Patil	Male	35	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
327	5181	Gajanan Y. Kunte	Male	36	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
328	5184	Ravindra B. Umarani	Male	43	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
329	5187	Avdhut D. Koli	Male	34	Production	NA	NA			05-01-26	**FIT**	NA	NA	NA	
330	5188	Dadaso R. Ghaste	Male	35	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
331	5197	Dipak S. Kaikade	Male	36	Production	NA	NA			03-01-26	**FIT**	NA	NA	NA	
332	489	Sanjay Y. Kumbhar	Male	47	Safety	NA	NA			03-01-26	**FIT**	NA	NA	NA	
333	909	Satish A. Parit	Male	44	Safety	NA	NA			03-01-26	**FIT**	NA	NA	NA	
334	1150	Riyaz G. Sandi	Male	44	Safety	NA	NA			05-01-26	**FIT**	NA	NA	NA	
335	1234	Shirdhar J. Kurne	Male	50	Safety	NA	NA			05-01-26	**FIT**	NA	NA	NA	
336	1053	Yogesh G. Kamble	Male	35	Sanitation	NA	NA			03-01-26	**FIT**	NA	NA	NA	
337	1083	Ramdas A. Birange	Male	40	Sanitation	NA	NA			05-01-26	**FIT**	NA	NA	NA	
338	1260	Santosh K. Hullyannawar	Male	38	Sanitation	NA	NA			03-01-26	**FIT**	NA	NA	NA	
339	1337	Kumar A. Aduke	Male	37	Sanitation	NA	NA			03-01-26	**FIT**	NA	NA	NA	
340	1404	Tipu Sultan R. Tushildar	Male	32	Sanitation	NA	NA			03-01-26	**FIT**	NA	NA	NA	
341	5172	Birdev S. Bandgar	Male	39	Sanitation	NA	NA			03-01-26	**FIT**	NA	NA	NA	
342	100	Bharat B. Jadhav	Male	59	Security	NA	NA			05-01-26	**FIT**	NA	NA	NA	
343	103	Madhukar B. Budkar	Male	51	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
344	423	Kumar D. Patil	Male	45	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
345	651	Vittalsing R. Rajput	Male	47	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
346	655	Dilip Babu Kadam	Male	40	Security	NA	NA			05-01-26	**FIT**	NA	NA	NA	
347	714	Prakash B. Powar	Male	48	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
348	718	Arun B. Kagwade	Male	49	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
349	726	Rajendra K. Patil	Male	43	Security	NA	NA			05-01-26	**FIT**	NA	NA	NA	
350	727	Raju Parsharam Koli	Male	41	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
351	741	Rajaram A. Balale	Male	57	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
352	848	Manik R. Desai	Male	47	Security	NA	NA			05-01-26	**FIT**	NA	NA	NA	
353	887	Faijahamad R. Mulla	Male	58	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
354	1056	Ashok B. Patil	Male	60	Security	NA	NA			05-01-26	**FIT**	NA	NA	NA	
355	1415	Anil Singh M. Rajput	Male	37	Security	NA	NA			03-01-26	**FIT**	NA	NA	NA	
356	1089	Uttam N. Gore	Male	36	Store	NA	NA			03-01-26	**FIT**	NA	NA	NA	
357	1262	Sunil S. Patil	Male	48	Store	NA	NA			03-01-26	**FIT**	NA	NA	NA	
358	1299	Mehabub D. Tamadar	Male	50	Store	NA	NA			03-01-26	**FIT**	NA	NA	NA	
359	1316	Jay V. Kgunjale	Male	53	Store	NA	NA			03-01-26	**FIT**	NA	NA	NA	
360	5112	Dattatray Tukaram Patil	Male	43	Store	NA	NA			05-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

PW **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
361	1148	Vijay R. Khot	Male	38	Sugar Godown	NA	NA			03-01-26	**FIT**	NA	NA	NA	
362	328	Popat M. Khot	Male	46	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	
363	832	Sanjay D. Danole	Male	40	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
364	952	Chandrakant B. Birange	Male	48	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	
365	954	Vilas R. Bale	Male	35	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
366	1145	Santosh B. Samdole	Male	39	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
367	1147	Prashant D. Pimple	Male	37	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
368	1152	Shekhar S. Parit	Male	43	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
369	1154	Dhondiram R. Chavare	Male	43	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
370	1224	Narsing S. Todkar	Male	41	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	
371	1254	Govind D. Khot	Male	33	WTP	NA	NA			05-01-26	**FIT**	NA	NA	NA	
372	1261	Sanjay S. Chavan	Male	46	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	
373	1339	Gurupad D. Borgave	Male	53	WTP	NA	NA			03-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Tambekar **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of [illegible] unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1		Imran S. Kurundwade	Male	38	Sugar House	NA	NA			07-01-26	**FIT**	NA	NA	NA	
2		Sanjay G. Tiwari	Male	49	Sugar House	NA	NA			07-01-26	**FIT**	NA	NA	NA	
3		Nagesh D. Gaste	Male	31	Sugar House	NA	NA			07-01-26	**FIT**	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Tambekar **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1		Imran S. Kurundwade	Male	38	Sugar House	NA	NA			07-01-26	FIT	NA	NA	NA	
2		Sanjay G. Tiwari	Male	49	Sugar House	NA	NA			07-01-26	FIT	NA	NA	NA	
3		Nagesh D. Gaste	Male	31	Sugar House	NA	NA			07-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	15134	Moksh M. Jakate	Male	25	-	NA	NA			07-01-26	FIT	NA	NA	NA	
2	15055	Altaf M. Tashildar	Male	25	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
3	15087	Yogandar Y. Shinde	Male	29	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
4	15233	Prakash B. Kamble	Male	26	Bio	NA	NA			07-01-26	FIT	NA	NA	NA	
5	15145	Vahid B. Kurade	Male	22	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
6	15146	Vishal S. Bhandere	Male	23	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
7	15244	Rahul B. Badame	Male	33	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
8	15268	Ranjit R. Ghatage	Male	22	Boiler	NA	NA			07-01-26	FIT	NA	NA	NA	
9	15196	Adarsh Y. Patil	Male	26	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
10	15267	Mahadev S. Pujari	Male	49	Caneyard	NA	NA			07-01-26	FIT	NA	NA	NA	
11	15259	Suraj S. Sidnale	Male	26	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
12	15026	Sanket C. Kamble	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
13	15028	Dattatray R. Patil	Male	48	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
14	15038	Mahesh B. Badame	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
15	15050	Sarthak S. Koli	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
16	15079	Kiran S. Kamble	Male	25	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
17	15125	Sourabh S. Chavan	Male	25	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
18	15126	Prajat S. Malikwade	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
19	15127	Mdhesh B. Londhe	Male	28	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
20	15128	Pramod S. Dalvali	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
21	15128	Vishal S. Koli	Male	27	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
22	15129	Krushnath M. Patil	Male	29	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
23	15151	Prithviraj S. Gore	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
24	15160	Sudharshan P. Murgunde	Male	23	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
25	15166	Aakash S. Vadur	Male	24	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
26	15169	Swapnil G. Kamble	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
27	15195	Akash P. Tonpe	Male	23	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
28	15219	Akshay Digambar Satpute	Male	29	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
29	15223	Kumar S. Biranage	Male	23	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
30	15228	Krushna R. Patil	Male	26	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
31	15229	Yash G. Patil	Male	22	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
32	15235	Omkar S. Tanawade	Male	21	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
33	15239	Shivtej V. Patil	Male	22	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
34	15248	Ravsaheb J. Chougule	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
35	15264	Sarvjeet S. Topkar	Male	25	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
36	15150	Anil R. Patil	Male	48	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
37	15226	Shrinath Vasant Pujari	Male	22	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
38	15245	Somnath Y. Mane	Male	21	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
39	15247	Pramod T. Kumbhar	Male	25	Electrician	NA	NA			06-01-26	FIT	NA	NA	NA	
40		Pranav S. Budkar	Male	20	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
41	0	Pratik Prakash Khot	Male	21	Electrician	NA	NA			07-01-26	FIT	NA	NA	NA	
42	15099	Rakesh Dattatry Koli	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
43	15116	Ramdas A. Vasmkar	Male	25	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
44	15187	Gurudatta S. Koli	Male	25	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
45	15204	Raj A. Patil	Male	32	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
46	15207	Chandan N. Sahani	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
47	15208	Shambhu S. Singh	Male	45	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
48	15209	Satyanand V. Gupta	Male	24	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
49	15210	Faiyaj S. Mulla	Male	26	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
50	15211	Sammed R. Vathare	Male	23	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
51	15260	Pravin L. Patil	Male	25	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
52	0	Aniket A. Birange	Male	21	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
53	0	Shrenik B. Patil	Male	20	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
54	0	Raj Singh K. Rajput	Male	23	Engineering	NA	NA			07-01-26	FIT	NA	NA	NA	
55	0	Avdhut D. Patil	Male	30	Fertilizer	NA	NA			07-01-26	FIT	NA	NA	NA	
56	15041	Nikhil H. Patil	Male	24	Guest House	NA	NA			07-01-26	FIT	NA	NA	NA	
57	15274	Avdhut B. Benale	Male	26	Guest House	NA	NA			07-01-26	FIT	NA	NA	NA	
58	15272	Harshawardh V. Kamble	Male	19	Helper	NA	NA			07-01-26	FIT	NA	NA	NA	
59	15265	Harish Ramesh Patil	Male	23	Lab	NA	NA			06-01-26	FIT	NA	NA	NA	
60	15090	Pradip A. Naik	Male	27	Production	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

V.D.P. **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
61	15093	Chidanand A. Kardage	Male	38	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
62	15096	Vitthal R. Gavade	Male	28	Production	NA	NA			07-01-26	FIT	NA	NA	NA	
63	15110	Suraj S. Badame	Male	27	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
64	15132	Babu A. Korali	Male	21	Production	NA	NA			07-01-26	FIT	NA	NA	NA	
65	15135	Harshad V. Vagare	Male	24	Production	NA	NA			07-01-26	FIT	NA	NA	NA	
66	15189	Akshay Kumar V. Patil	Male	28	Production	NA	NA			07-01-26	FIT	NA	NA	NA	
67	15225	Abhishek V. Godhade	Male	24	Purchase	NA	NA			07-01-26	FIT	NA	NA	NA	
68	15214	Vinod A. Bhirde	Male	46	Safety	NA	NA			07-01-26	FIT	NA	NA	NA	
69	15058	Shoukat Naikwade	Male	50	Sanitation	NA	NA			07-01-26	FIT	NA	NA	NA	
70	15164	Shankar D. Killedar	Male	27	Sanitation	NA	NA			07-01-26	FIT	NA	NA	NA	
71	15270	Sudesh S. Kokane	Male	21	Store	NA	NA			07-01-26	FIT	NA	NA	NA	
72	15206	Omkar V. Patil	Male	25	Sugar	NA	NA			07-01-26	FIT	NA	NA	NA	
73	15271	Bramhanath D. Chougule	Male	28	Sugar Lab	NA	NA			07-01-26	FIT	NA	NA	NA	
74	15170	Ramchandra B. Nandikarle	Male	42	Time Office	NA	NA			07-01-26	FIT	NA	NA	NA	
75	15044	Ashitosh S. Powar	Male	25	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
76	15045	Basgounda C. Patil	Male	29	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
77	15097	Mahesh S. Vankundre	Male	36	WTP	NA	NA			07-01-26	FIT	NA	NA	NA	
78	15108	Prathamesh V. Katkar	Male	29	WTP	NA	NA			07-01-26	FIT	NA	NA	NA	
79	15114	Akshay D. Magdum	Male	26	WTP	NA	NA			07-01-26	FIT	NA	NA	NA	
80	15202	Umesh B. Bavdekar	Male	31	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
81	15266	Sushant S. Gandhar	Male	25	WTP	NA	NA			07-01-26	FIT	NA	NA	NA	
82	-	Kishan P. Kamble	Male	26	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
83	-	Popat Kantu Koli	Male	22	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
84	0	Pradip R. Akkiwate	Male	25	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

D.S.D. Security **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	14001	Sham S. Patil	Male	44	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
2	14004	Eknath S. Jadhav	Male	32	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
3	14007	Yogesh S. Dharmate	Male	29	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
4	14010	Pramod Yashwant Kadam	Male	46	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
5	14014	Shubham N. Gaikwad	Male	28	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
6	14015	Pravin R. Sabale	Male	30	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
7	14016	Prakash R. Repe	Male	42	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
8	14017	Prakash A. Gaikwad	Male	30	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
9	14018	Avdhut S. Jagtap	Male	53	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
10	14023	Shivram E. Kamble	Male	42	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
11	14026	Sanjay Sakharam Patil	Male	51	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
12	14028	Swapnil Babu Mohite	Male	28	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
14	14032	Asif K. Mulla	Male	25	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
15	14033	Shivaji Ganpati Patil	Male	47	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
16	14034	Gorakhanath Nivruti Patil	Male	34	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
17	14038	Dipak S. Kadam	Male	19	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
18	14040	Pravin S. Patil	Male	35	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
19	14041	Shashikant R. Wajamkar	Male	45	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
20	14042	Akash B. Gaikwad	Male	31	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
21	14044	Gopi R. Kamble	Male	25	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
22		Firoj A. Jamadar	Male	52	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
23		Omkar G. Kumbhar	Male	21	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
24		Nanaso B. Khokate	Male	49	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
25		Pravin A. Jagtap	Male	25	Security	NA	NA			07-01-26	FIT	NA	NA	NA	
26		Kishor S. Kamble	Male	27	Security	NA	NA			07-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	41	Rudragounda B. Patil	Male	58	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
2	80	Virendra V. Patil	Male	46	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
3	98	Sandip B. Bore	Male	40	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
4	127	Bahubali B. Patil	Male	45	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
5	294	Nilesh V. Yadav	Male	53	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
6	494	Ajit B. Murgunde	Male	45	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
7	701	Manohar M. Bhosale	Male	50	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
8	703	Anil B. Biranje	Male	38	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
9	917	Sagar B. Mali	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
10	982	Yuvraj S. Nimbalkar	Male	38	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
11	994	Rakesh R. Magdum	Male	35	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
13	1413	Arjun A. Koli	Male	36	Account	NA	NA			05-01-26	FIT	NA	NA	NA	
14	13001	Kedari V. Mane	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
15	13003	Vinod S. Benade	Male	37	Account	NA	NA			06-01-26	FIT	NA	NA	NA	
16	1279	Vikas B. Chougule	Male	38	Admin	NA	NA			05-01-26	FIT	NA	NA	NA	
17	90	Tanaji S. Patil	Male	48	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
18	102	Dilip D. Killedar	Male	56	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
19	121	Avinash J. Bastwade	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
20	135	Ramchandra M. Naikwade	Male	54	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
21	138	Uttam P. Ghatage	Male	47	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
22	139	Sanjay N. Akiwate	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
23	274	Rajendra D. Latwade	Male	46	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
24	276	Devendra A. Shirguppe	Male	42	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
25	277	Suresh P. Godhade	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
26	291	Shivaji S. Gawade	Male	41	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
27	301	Sachin Kumar K. Hemgire	Male	44	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
28	303	Sahanawaz Y. Mulla	Male	42	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
29	330	Vijay S. Powar	Male	43	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
30	352	Pralhad V. Kamble	Male	51	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
31	386	Vishwnath K. Shinde	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
32	413	Sanjeev B. Huddar	Male	53	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
33	471	Milind P. Kamble	Male	50	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
34	472	Sandip K. Tapkire	Male	51	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
35	511	Uday A. Powar	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
36	515	Shital A. Kurundwade	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
37	516	Dhairyshil S. Khamkar	Male	41	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
38	520	Hemgodda V. Patil	Male	43	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
39	561	Dpak P. Chavan	Male	49	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
40	572	Santosh A. Bastwade	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
41	584	Atul S. Patil	Male	36	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
42	638	Chandrakant S. Shinde	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
43	639	Sayaji G. Khot	Male	57	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
44	642	Prashant R. Shetti	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
45	694	Ganesh B. Munagutte	Male	38	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
46	699	Mohan K. Patil	Male	49	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
47	797	Santosh S. Ghatage	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
48	798	Akaram S. Gavade	Male	39	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
49	799	Suresh K. Yadav	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
50	803	Santosh B. Latwade	Male	45	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
51	902	Amar A. Patil	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
52	918	Amar V. Pawar	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
53	936	Nilesh B. Dalavi	Male	38	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
54	983	Arun S. Patil	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
55	1006	Vinayak S. Kamble	Male	45	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
56	1074	Audumbar N. Budhawale	Male	46	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
57	1134	Rahul G. Pattekar	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
58	1163	Prakash B. Patil	Male	36	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
59	1179	Sangram B. Ghorpade	Male	42	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
60	1181	Indrajeet L. Patil	Male	35	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
61	1187	Kulbhushan S. Gudave	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
62	1288	Prakash B. Mugdum	Male	54	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
63	1327	Yuvraj Shivaji Patil	Male	37	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
64	1354	Vishal R. Repe	Male	32	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
65	1358	Ranjit S. Kolekar	Male	39	Agriculture	NA	NA			06-01-26	FIT	NA	NA	NA	
66	1407	Sachin B. Ghatage	Male	37	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
67	5157	Suhas M. Patil	Male	40	Agriculture	NA	NA			05-01-26	FIT	NA	NA	NA	
68	691	Ananda M. Fakande	Male	43	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
69	1162	Gopal S. Bhandare	Male	42	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
70	1188	Sachin V. Tade	Male	43	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
71	1305	Salman I. Bairagdar	Male	34	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
72	1412	Rohit G. Pagade	Male	32	Bio	NA	NA			06-01-26	FIT	NA	NA	NA	
73	399	Khanderao Murlidhar Kamble	Male	47	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
74	446	Gajanan M. Latawade	Male	44	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
75	551	Rama A. Zende	Male	45	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
76	796	Hirasingh B. Rajput	Male	49	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
77	871	Ganesh R. Gore	Male	40	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
78	935	Amol R. Mane Gavade	Male	39	Caneyard	NA	NA			06-01-26	FIT	NA	NA	NA	
79	991	Vishal A. Choudhari	Male	35	Caneyard	NA	NA			05-01-26	FIT	NA	NA	NA	
80	119	Shankar S. Shinde	Male	46	Civil	NA	NA			05-01-26	FIT	NA	NA	NA	
81	837	Babaso Z. Inamdar	Male	54	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
82	883	Sandip S. Magdum	Male	43	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
83	13011	Arjun D. Dhumale	Male	32	Civil	NA	NA			06-01-26	FIT	NA	NA	NA	
84	604	Vilas R. Jagtap	Male	53	CMD	NA	NA			06-01-26	FIT	NA	NA	NA	
85	22	Anand R. Yadav	Male	49	Cogen	NA	NA			05-01-26	FIT	NA	NA	NA	
86	855	Veerpaksh J. Futane	Male	45	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
87	1081	Balasaheb V. Bandgar	Male	40	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
88	1192	Rajaram L. Jagtap	Male	47	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
89	1193	Shivanand S. Hospt	Male	43	Cogen	NA	NA			06-01-26	FIT	NA	NA	NA	
90	939	Tushar T. Nikam	Male	39	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
91	943	Ashok A. Shinde	Male	39	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
92	1182	Vijay M. Mali	Male	56	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
93	1318	Mahaveer B. Kattikar	Male	38	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
94	1364	Pravin J. Garud	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
95	1370	Ranjit S. Patil	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
96	1372	Aniket A. Sardesai	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
97	1375	Mahesh Mali	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
98	1383	Pratik P. Patil	Male	26	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
99	1389	Shivprasad V. Khanvilkar	Male	35	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
100	1390	Satish D. Nimbalkar	Male	46	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
101	1392	Pruthaviraj H. Jadhav	Male	35	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
102	1394	Yogesh Sadashiv Powar	Male	28	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
103	1395	Rahul A. Patil	Male	26	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
104	1414	Tukaram M. Pakare	Male	53	Distillery	NA	NA			06-01-26	FIT	NA	NA	NA	
105	1419	Ajit Tanaji Salonkhe	Male	38	Distillery	NA	NA			07-01-26	FIT	NA	NA	NA	
106	1422	Suraj A. Patil	Male	25	Distillery	NA	NA			05-01-26	FIT	NA	NA	NA	
107	11	Dnyandev M. Khot	Male	46	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
108	52	Shital A. Alate	Male	47	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
109	184	Sunil G. Rajput	Male	42	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
110	628	Balasaheb D. Alagouda	Male	51	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
111	849	Dilip A. Korbu	Male	54	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
112	864	Vijay Subhash Kumbhojkar	Male	47	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
113	1249	Sunil G. Rajmane	Male	54	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
114	1273	Pavan Kumar J. Ankale	Male	45	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
115	1325	Raju V. Bailurkar	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
116	1326	Prashant R. Patil	Male	43	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
117	1330	Sarjerao S. Patil	Male	51	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
118	1353	Nilambar D. Patil	Male	37	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
119	1363	Shivanand S. Gadad	Male	37	Engineering	NA	NA			05-01-26	FIT	NA	NA	NA	
120	1416	Swapnil M. Patil	Male	32	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	
121	3129	Sachin R. Hingangave	Male	36	Engineering	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016

SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
122	1170	Unis M. Khurche	Male	42	Guest House	NA	NA			06-01-26	FIT	NA	NA	NA	
123	92	Ravindra S. Kumbhar	Male	41	HR	NA	NA			06-01-26	FIT	NA	NA	NA	
124	1113	Amol Yashwant Patil	Male	40	HR	NA	NA			05-01-26	FIT	NA	NA	NA	
125	13010	Akshay N. Patil	Male	31	Marketing	NA	NA			06-01-26	FIT	NA	NA	NA	
126	348	Shivaji R. Jadhav	Male	48	Operator	NA	NA			06-01-26	FIT	NA	NA	NA	
127	601	Madan S. Vasamkar	Male	48	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
128	602	Vijay Kumar R. Nirmale	Male	48	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
129	1117	Dayanand K. Patil	Male	47	Petrol Pump	NA	NA			05-01-26	FIT	NA	NA	NA	
130	300	Yelgounda S. Patil	Male	47	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
131	811	Dhanaji S. Nimbalkar	Male	50	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
132	812	Bahubali B. Khothali	Male	41	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
133	907	Appaso B. Gouraj	Male	49	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
134	944	Amol R. Hujare	Male	40	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
135	981	Rahul B. Desai	Male	39	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
136	1000	Hajilal M. Nagaraji	Male	46	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
137	1186	Prakash A. Patil	Male	43	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
138	1197	Sudhakar R. Deshmukh	Male	50	Production	NA	NA			05-01-26	FIT	NA	NA	NA	
139	1309	Vijay Singh A. Bhosale	Male	46	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
140	1362	Sandip R. Patil	Male	39	Production	NA	NA			06-01-26	FIT	NA	NA	NA	
141	85	Raju B. Patil	Male	49	Purchase	NA	NA			06-01-26	FIT	NA	NA	NA	
142	95	Mohan S. Vasamkar	Male	50	Purchase	NA	NA			06-01-26	FIT	NA	NA	NA	
143	1351	Azharuddin J. Kazi	Male	38	Safety	NA	NA			05-01-26	FIT	NA	NA	NA	
144	5211	Swapan V. Nivamale	Male	40	Sanitation	NA	NA			06-01-26	FIT	NA	NA	NA	
145	886	Ananda J. Shinde	Male	54	Security	NA	NA			06-01-26	FIT	NA	NA	NA	
146	1350	Shamrao Nana Patil	Male	60	Security	NA	NA			06-01-26	FIT	NA	NA	NA	
147	1104	Ballasaheb V. Gaikwad	Male	40	Send	NA	NA			06-01-26	FIT	NA	NA	NA	
148	717	Malhar G. Jadhav	Male	51	Store	NA	NA			05-01-26	FIT	NA	NA	NA	
149	1092	Shantinath B. Khurpe	Male	48	Store	NA	NA			05-01-26	FIT	NA	NA	NA	
150	1114	Umesh P. Gaikwad	Male	45	Store	NA	NA			06-01-26	FIT	NA	NA	NA	
151	69	Suresh D. Bhadmare	Male	46	Sugar Godown	NA	NA			06-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016


SHRI GURUDATT SUGARS LTD **FORM NO. 7** CERTIFYING SURGEON

(See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114) **DR. ARVIND MANE**

Staff **From: { 03-01-26 To 02-01-27 }** **(Health Register)** **MBBS DPH AFIH.(MUMBAI)**

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth - day)	Dept.of employement of present work	Date of Leaving or Transfer to Other	Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of	unfitness or suspention issued	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
152	96	Chandrakant Patil	Male	51	Sugar Godown	NA	NA			05-01-26	FIT	NA	NA	NA	
153	746	Tukaram B. Patil	Male	48	Sugar Godown	NA	NA			06-01-26	FIT	NA	NA	NA	
154	938	Prakash T. Ghatge	Male	44	Sugar Godown	NA	NA			05-01-26	FIT	NA	NA	NA	
155	1135	Sandip S. Patil	Male	39	Sugar Godown	NA	NA			06-01-26	FIT	NA	NA	NA	
156	87	Chandrakant D. Patil	Male	53	Time Office	NA	NA			06-01-26	FIT	NA	NA	NA	
157	285	Vijay R. Dakare	Male	58	Time Office	NA	NA			05-01-26	FIT	NA	NA	NA	
158	1153	Pravin S. Patil	Male	39	Time Office	NA	NA			05-01-26	FIT	NA	NA	NA	
159	1190	Somnath M. Kumbhar	Male	43	WTP	NA	NA			05-01-26	FIT	NA	NA	NA	
160	1196	Netaji N. Chavan	Male	47	WTP	NA	NA			06-01-26	FIT	NA	NA	NA	
161	1255	Shridhar A. Sutar	Male	46	WTP	NA	NA			05-01-26	FIT	NA	NA	NA	

कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे
कोल्हापूर जिल्हाकरिता
प्राधिकृत प्रमाणकशल्यचिकित्सक
क्र. ACS 15-AM/2016



MASTER PLAN

NOTES.

- ROAD LEVELS SHOWN THUS
- PLINTH LEVELS SHOWN THUS
- PLOT BOUNDARY SHOWN THUS
- EXISTING WORK SHOWN THUS
- HYDRANT LINE SHOWN IN RED
- DRAINAGE LINE SHOWN IN BLUE
- ROAD BOUNDARY LINE YELLOW

AREA STATEMENT.

TOTAL PLOT AREA = 22.00 HECTOR.

TOTAL BUILT-UP AREA = 35,140.16 SQM.

LOCATION PLAN

NOTES

THIS DRAWING IS THE PROPERTY OF ARCHITECTS & ENGINEERS PVT LTD. & IS NOT TO BE USED OR REPRODUCED WITHOUT THEIR WRITTEN PERMISSION. THE CONTRACTOR MUST VERIFY ALL THE DIMENSIONS OF THE JOB & REPORT ANY DIMENSIONAL & OTHER DISCREPANCIES TO THE ARCHITECT.

REVISION	NO.	DATE

DISTRIBUTION OF PRINTS

CLIENT	CONT.	OFFICE	OTHERS	NO.	DATE

NORTH LINE & KEY PLAN

NORTH

DRAWN BY	CHECKED BY

STRUCTURAL & ARCHITECTURAL CONSULTANTS

PRASAD S.DABEER

1031,E WARD,B -I-1
STERLING TOWERS,GAVAT MANDAI
SHAHUPURI,KOLHAPUR.

TEL-0231-3059450, CELL- 9890115549.

JOB

SHRI GURUDATTA SUGAR

LTD.TAKLIWADI,

GAT NO.61

TAL.SHIROL.

DRAWING

MASTER PLAN

SCALE :	DATE : 25/08/2017.
JOB NO.	DRG. NO. A-0
SUB JOB NUMBER	REVISION NUMBER 0

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: http://mpcb.gov.in
Email: cac-cell@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

No:- Format1.0/CAC/UAN No.MPCB-CONSENT-0000280692/CR/2607002191

Date: 24/07/2026

To,
Shri Gurudatt Sugars Ltd
Gat No 61/A,Akiwat Takaliwadi Road, Takaliwadi, Tal: Shirol, Dist :- Kolhapur.

Your Service is Our Duty

Sub: Renewal of Consent to Operate for 6000 TCD Sugar and 21 MW co gen unit under Red Category

Ref:

1. **Previous Renewal of consent to operate granted by the Board vide no. No:-- Format1.0/CAC/UAN No.MPCBCONSENT-0000246245/CR/2510000310 granted vide dt: 06/10/2025 valid up to: 31/07/2026**
2. **Minutes of 4th Consent Appraisal Committee Meeting of 2026-2027 held on vide dt: 25.06.2026**

Your application No.MPCB-CONSENT-0000280692 Dated 25.03.2026

For: Grant of Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Consent to Renewal is granted upto: 31.07.2027**
2. **The capital investment of the industry is Rs.282.85 Crs (Previous CI 275.73 Cr) Crs. (As per C.A Certificate submitted by industry).**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
1	Sugar	21600	MT/M
2	Molasses	7318	MT/M
3	Press Mud	7318	MT/M
4	Bagasse	54000	MT/M
5	Electric Power (Cogeneration)	21	MW

3. **(The Cane crushing capacity of Sugar industry shall not exceed 6000 TCD.)**

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted in CMD	Standards to	Disposal
1.	Trade effluent	518	As per Schedule -I	48 CMD shall be recycle & remaning 470 CMD shall be use on land for irrigation purpose.
2.	Domestic effluent	48	As per Schedule - I	On land for Gardening

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (70 TPH) & (40 TPH)	1	As per Schedule -II
2	D.G. Set - (500 KVA) & (125 KVA)	1	As per Schedule -II
3	D.G. Set - (625 KVA X 2 NO.)	1	As per Schedule -II

(As per previous consent of existing unit)

6. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Boiler Ash	4536	MT/A	NA	Sale for Bricks Manufactures and for soil conditioning.
2	ETP Sludge	6.8	MT/A	NA	Use as Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity & UoM	Treatment	Disposal
1	5.1 Used or spent oil	5.1	280 Kg/Annum	Recycle	Sale to authorized recycler.

The applicant shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.

a. The applicant shall properly collect, transport & regularly dispose of the hazardous waste to CHWTSDF, in compliance of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules, 2016 and keep proper manifest thereof.

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall connect online CMS data as per CPCB guidelines to CPCB & MPCB Servers.
11. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.

12. Industry shall provide scientific storage with proper APC system for ash.
13. This consent is issued as per the 4th Consent Appraisal Committee Meeting of 2026-2027 held on 25.06.2026
14. The applicant shall make an application for renewal of the consent at least 120 days before the date of the expiry of the consent.
15. The applicant shall strictly comply with the circular issued by the Board vide No. MPCB / JD(APC) / NACP / DG Set / B-0090 dtd. 02/06/2023 regarding Retrofitting of Emission Control Device (RECD) for in-use Diesel Operated Internal Combustion Engines / D.G. Sets.
16. The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise. In no case, sewage shall find its way for gardening / outside factory premises.
17. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



1f0a7448
d6c9168a
f9e7d530
7296afa0
f947e349
cde59d9b
2b04b9ba
647fd5f0

Signed by: Shri. Rahul Rekhawar
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2026-07-24 10:56:42 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	550600.00	TXN2603006699	25/03/2026	Online Payment

As per previous Renewal of Consent to operate vide application No.MPCB-CONSENT-0000246245 granted vide dt: 06/10/2025 valid up to : 31/07/2026- , Industry has submitted Consent fees of Rs. 137865.00 vide TXN2506005291 dt: 25/06/2025 has been balanced with MPC Board and same has been utilized towards, increase in CI from Rs. 275.73 Cr to Rs. 282.85 Crs (Rs. 565700/- + Rs. 25000/- towards C to E for increase in CI.) and from which Consent fees of Rs. 97765/- is remaining balanced with MPC Board and same will be considered at the time of next Renewal of Consent to operate.

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB,Sion, Mumbai
3. CC/CAC desk - For record and website updation purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1) **A] As per your application, you have Provided Effluent Treatment Plant (ETP) of designed capacity of 600.00 CMD consisting of Primary, Secondary, Tertiary for the treatment of 518.00 CMD industrial effluent.**

B] Industry shall provide CPU for recycle/reuse of treated effluent.

C] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	*Parameters*	*Limiting concentration not to exceed in mg/l, except for pH*
(1)	pH	5.5-9.0
(2)	Oil & Grease	10
(3)	BOD (3 days 27^{o}$^{c)}$	100
(4)	Sulphate	1000
(5)	Suspended Solids	100
(6)	COD	250
(7)	Chloride	600
(8)	Total Dissolved Solids	2100

D] The treated effluent 470.00 CMD shall be disposed on land for irrigation on 21.00 hectares of own land /as per the bilateral agreement with farmers. In no any case treated/untreated effluent shall find its way outside the factory premises directly or indirectly.

E] Industry shall operate Online Continuous Emission Monitoring System (OCEMS) and shall transmit Online Continuous Emission Monitoring System (OCEMS) data to Board's server directly through the data logger without any intermediate server.

F] Trade effluent of 48.00 CMD generated from Co-gen shall be 100% recycle in process.

G] CREP conditions for Sugar Factory

i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.

ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.

iii. Industry shall achieve zero discharge into in land surface water bodies.

iv. 15 days' storage capacity tank shall be provided for treated effluent to take care during no demand for irrigation.

H] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse and other material.

I] The unit shall operate ETP even after completion of the crushing season so that any effluent generated during washing & maintenance activity is to be discharged after proper treatment.

J] The unit shall optimize water use in industrial process & maintain records.

2) A] **As per your application, you have provided septic tank and soak pit for the treatment of 48.00 CMD sewage.**

B] **The applicant shall operate sewage treatment system to treat sewage so as to achieve the following standards/ prescribed under EP Act 1986 and rules made under time to time, whichever is stringent.**

1	Suspended Solids	Not to exceed	100 mg/l
2	BOD 3 days (27°C)	Not to exceed	100 mg/l

C] **The treated sewage shall be 100% reused/recycled for gardening purpose within premise. In no any case, sewage shall find its way outside Company's premises.**

3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.

4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

5) CONDITIONS FOR MOLASSES STORAGE:

(i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.

(ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.

(iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.

(iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board at least 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.

(v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.

(vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955? and "Maharashtra Molasses Storage and Supply Regulation, 1965?.

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.

7) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

8) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

9) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters, and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	475.00
2.	Domestic purpose	60.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1100.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

10) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have provided the Air pollution control (APC) system and erected following stack(s) and observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO_2
1	Boiler (70 TPH)	Bagasse Dryer & WET Scrubber	65.00	Bagasse	730.00 MT/Day	0.20	2920.00
2	Boiler (40 TPH)	ESP provided	65.00	Bagasse	418.00 MT/Day	0.20	1672.00
3	D.G. Set - 500 KVA	Acoustic Enclosure	6.00	HSD	40.00 Ltr/Hr	1.00	19.00
4	D.G. Set - 125 KVA	Acoustic Enclosure	6.00	HSD	10.00 Ltr/Hr	1.00	4.80
5	D.G. Set - 125 KVA	Acoustic Enclosure	30.00	HSD	128.00 Ltr/Hr	1.00	61.44

(As per previous consent of existing unit)

2) The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

1 The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

2 The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm3

3 The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4 The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5 Industry should not use auxiliary fuel more than 15 % (as per amendment in EIA Notification 2009, power plant upto 15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt.) as co-gen capacity is below 15 MW.

3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of consent to operate	Rs. 25 lakhs	15 days/ To be extended	Towards compliance of Consent conditions & O & M of pollution control system.	31.07.2027	28.02.2028

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

SCHEDULE-IV

General Conditions:

1 The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2 The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

3 Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.

4 The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

5 The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

6 The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.

7 An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

8 The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

9 The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

10 The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

11 The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

12 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

13 The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.

14 Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

15 Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

16 Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

17. Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

f) D.G. Set shall be operated only in case of power failure.

g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

18 The industry should not cause any nuisance in surrounding area.

19 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20 The applicant shall maintain good housekeeping.

21 The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

22 The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

23 The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

24 The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

This certificate is digitally & electronically signed.

F. No. J-11011/41/2015-IA-II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Aliganj, Jor Bagh Road,
New Delhi -110 003

Telefax: 011-24695365
E-mail: yogendra78@nic.in

Dated: 20th March, 2017

To,

The Chief Executive Officer
M/s Shri Gurudatt Sugars Limited
Gat No.61/A, Akiwat - Takaliwadi Road
Takaliwadi, Taluka Shirol
District - Kolhapur - 416 108
Maharashtra

Sub: Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District - Kolhapur, Maharashtra - Environmental Clearance – reg.

Ref: Online Proposal No. IA/MH/IND2/59911/2014 dated 22nd October, 2016.

Sir,

This has reference to your online proposal no. IA/MH/IND2/59911/2014 dated 22nd October, 2016, along with project documents including Form I, Terms of References, Pre-feasibility Report and EIA/EMP Report with public hearing report regarding the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the application. It is noted that the proposal is Expansion of Sugar Plant (4900 TCD to 6000 TCD) and Co-generation Power Plant (15 MW to 21 MW) by M/s Shri Gurudatt Sugars Limited at Gat No.61/A, Akiwat-Takaliwadi Road, Takaliwadi, Taluka Shirol, District-Kolhapur, Maharashtra. As informed and as per the documents submitted by the Project Proponent (PP), no additional land is required as the project is proposed in the premises of sugar plant. The land area is 55 Acres. Area for green belt is 15 Acres. The total cost of the project is Rs. 86.34 crores. Raw Material is Sugarcane and Bagasse. No Protected area/Eco-sensitive area/Reserve forests are reported to be located within 10 km area of the project site. Krishna River (3 km), Panchganga River (5 km), and Dudhganga River (7 Km) are located within 10 km radius of the project site. Karnataka State is located within 4 km from the project site. The project thus falls in the interstate boundary region of Karnataka and Maharashtra. The plant will have the following configuration and production capacity:

Units	Existing Capacity	Proposed Capacity	Total Capacity after expansion	Working days
Sugar Plant	4900 TCD	1100 TCD	6000 TCD	160
Cogeneration Power Plant	15 MW	6 MW	21 MW	160+124

3. All Sugar Industry (≥5000 TCD cane crushing capacity) are listed at Sl. No. 5(j) of Schedule of EIA Notification under Category 'B'. However, considering the general condition that the project is located at distance of 4 km from the interstate boundary of Karnataka State, the project is considered under Category 'A' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal was considered by the Expert Appraisal Committee (Industry-2) in its 36th meeting held during 16th- 17th March, 2015 and recommended Terms of References (TORs) for the Project. The TOR has been issued by Ministry vide letter dated 18th May, 2015.

5. The project proposal was considered by the Expert Appraisal Committee (Industry -2) in its 17th meeting held during 26th - 29th December, 2016. The Project Proponent and the accredited consultant M/s SD Engineering Services Pvt. Ltd, Aurangabad, gave a detailed presentation on the salient features of the project and proposed environmental protection measures to be undertaken, as per Terms of References (TORs) awarded in the 36th meeting of the EAC held during 16th - 17th March, 2015.

6. The State Pollution Control Board, Maharashtra has issued CTE vide letter no. 1.0/BO/CAC-CELL/EIC No. KP-15740-14/EIC. 4729 dated 27/04/2015 and CTO vide letter no. 1.0/BO/CAC CELL/EIC-KP-17292-15/ O&R/CAC-418 dated 8/10/2016. The existing unit has been operating with Consent to Operate from the State Pollution Control Board. Consent of Industry was valid up to 31.07.2016. The PP has informed the EAC that the application for renewal is submitted and same is under consideration of the SPCB which will be issued under auto-renewal policy of State Government.

7. Public Hearing for the proposed project has been conducted by the Maharashtra State Pollution Control Board 24.08.2016. The EAC has deliberated upon the issues raised during the public hearing. The concerns were raised regarding employment opportunities, pollution due to waste water discharge from plant, etc. The EAC noted that the issues have satisfactorily been responded by the project proponent and incorporated in the final EIA-EMP report.

8. The Project Proponent has informed the EAC that the ambient air quality monitoring was carried out at 9 locations during October, 2015– December, 2015 and submitted baseline data indicates that ranges of concentrations of PM_{10} (25 $\mu g/m^3$ to 47.8 $\mu g/m^3$), $PM_{2.5}$ (7.5 $\mu g/m^3$ to 18.5 $\mu g/m^3$), SO_2 (7.1 $\mu g/m^3$ to 9.2 $\mu g/m^3$), CO (0.09 $\mu g/m^3$ -0.16$\mu g/m^3$) and NOx (8.6 $\mu g/m^3$ to 11.1μg /m^3) respectively.

9. The total requirement of water for sugar and cogeneration is 1405.25 m^3/day for process, cooling, boiler and domestic purpose. Fresh water

Permission has been obtained from the concerned authority. Balance water shall be met through recycling of condensate water. Under no circumstances ground water shall be used in the factory.

10. Power requirement is 6 MW/day for sugar and co-gen unit, the same is met through own generation. The steam generating system for the proposed Cogeneration Project comprises of two multi-fuel fired boiler with a Maximum Continuous Rating (MCR) of 70 TPH and 40 TPH (total capacity 110 TPH), with the outlet steam parameters at 45 kg/cm^2 and 5000 C. Fuel for Boiler is Bagasse. The bagasse requirement is 182054 MT/year.

11. The PP has submitted a letter no. MPCB/RO/KOP- 2878/2016 dated 28/07/2016 issued by the Regional Officer, Kolhapur, Maharashtra Pollution Control Board mentioning that the effluent/wastewater generated by the existing plant is well within the prescribed limit, based on the direction of the EAC.

12. The EAC, in its 17th meeting held on 26th- 29th December, 2016has found that the final EIA/EMP report submitted by the PP is adequate. The EAC after detailed deliberations, on the basis of the information and presentation made by the PP, has recommended the project for environmental clearance with certain conditions.

13. Based on the proposal and information submitted by the Project Proponent, and considering the recommendation of the Expert Appraisal Committee (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. Specific Conditions:

i. Zero liquid Discharge System shall be ensured.

ii. Water requirement to be reduced at extent possible by using latest process methodology being used worldwide.

iii. Fly Ash be generated shall be sent to nearby cement industry.

iv. Green belt (10 m wide) of perennial plant species like Neem, Seasam, Teak etc., to be developed around the plant periphery ensuring the 33% area of the plant as green area. The Forest department may be consulted in this regard.

v. Air emissions from all point source to be controlled by latest technology instruments. The emissions shall conform to the limits imposed by Maharashtra Pollution Control Board (MPCB).

vi. Periodic soil and water sampling in nearby villages and water bodies to be done by the Project Authorities through 3rd part expert and report shall be submitted to the concerned regional office of the Ministry.

vii. RO plant of sufficient capacity to be installed in the nearby villages to ensure safe drinking water supply. Maintenance of the RO plant will be owned by the Project Authorities.

viii. Health check-up camps to be organized periodically in nearby villages.

ix. A regular environmental manager having PG qualification in environmental sciences/environmental engineering to be appointed for looking after the environmental management practices in the plant.

x. Automatic/online monitoring system (24 x 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.

B. General Conditions:

i. The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board, State Government and any other statutory authority.

ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.

v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.

vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.

viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.

ix. The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.

x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.

xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.

xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

14. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

15. The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

16. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention &. Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

20.3.2017

(Yogendra Pal Singh)
Scientist 'D'

Copy to:-

1. The Secretary, Environment Department, Government of Maharashtra, 15th Floor, New Administrative Building, Mantralaya, Mumbai- 400 032.
2. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office(WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Line, Nagpur-440001.
3. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032.
4. The Chairman, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai-400 022.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bhag, New Delhi- 110 003.
6. Guard File/Monitoring File/Website/Record File.

20.3.2017

(Yogendra Pal Singh)
Scientist 'D'